

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | |
|---|----|----|-----|----|----|---|-----|----|--------|------|------|------|------|------|-----------|--|--|------|--|--|--|--|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | CONS | MC/ | MC/ | | MC/ | | | | | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TALI | | HA | UA | HA | | | | | | | | | | | | | |
| 1 A 7.20 HA GF: 1 - 2H 4B 3I SUP: M TS: 5152 TP: 5212 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: SV INC: 24 G ALTITUDINE: 370 - 450 M LITIERA: lipsa TIP FLORA: Asperula-Asarum Artificial de prod. mij. echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: SEM.UTIL: SUBARBORET: DATE COMPL.: Alunecare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2011-Taieri de conservare 2017-Taieri de conservare LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 5 | | | 1 | 3 | | | NEC | N | 0.70 | 1 | 7 | 4.9 | | | | | | | | | | | | |
| TOTAL | | | 5 | | | | 3 | | | | | 0.7 | 1 | 7 | 4.9 | | | | | | | | | | | | |
| 1 B 6.31 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: SV INC: 13 G ALTITUDINE: 380 - 450 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 5 GO 4 FA 1 CA COMP.TEL: 6GO 3 FA 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani SEM.UTIL: 6GO 4 FA 5 ani 0.4S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GO | 5 | IN | 130 | 44 | 25 | 3 | | .6 | RN | N | 0.20 | 84 | 530 | 0.6 | | | | | | | | | | | | | |
| FA | 4 | IN | 150 | 56 | 28 | 3 | M | .6 | RN | N | 0.16 | 85 | 536 | 0.5 | | | | | | | | | | | | | |
| CA | 1 | LT | 80 | 32 | 22 | 3 | M | .6 | RN | N | 0.04 | 27 | 170 | 0.2 | | | | | | | | | | | | | |
| TOTAL | | | 130 | | | | 3 | | | | 0.4 | 196 | 1236 | 1.3 | | | | | | | | | | | | | |
| 1 C 2.36 HA GF: 1 - 2A 4B 3I SUP: M TS: 5131 TP: 5151 SOL: 0201 Versant superior ondulat EXPOZITIE: SV INC: 34 G ALTITUDINE: 370 - 430 M LITIERA: continua-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 10 GO COMP.TEL: 10GO SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GO | 3 | IN | 120 | 44 | 21 | 4 | M | .5 | RN | S | 0.21 | 71 | 168 | 0.7 | | | | | | | | | | | | | |
| GO | 7 | LT | 90 | 30 | 17 | 4 | | .5 | RN | S | 0.49 | 114 | 269 | 1.4 | | | | | | | | | | | | | |
| TOTAL | | | 90 | | | | 4 | | | | 0.7 | 185 | 437 | 2.1 | | | | | | | | | | | | | |
| 1 D 1.41 HA GF: 1 - 2H 4B 3I SUP: M TS: 5152 TP: 5212 SOL: 2201 Versant inferior framintat EXPOZITIE: V INC: 20 G ALTITUDINE: 360 - 430 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: SEM.UTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-Taieri de conservare 2015-Taieri de conservare LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 5 | 8 | 7 | 3 | | | | NEC | N | 0.70 | 22 | 31 | 4.9 | | | | | | | | | | | | |
| TOTAL | | | 5 | | | | 3 | | | | | 0.7 | 22 | 31 | 4.9 | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | |
|--|----|----|----|-----|----|----|---|---|----|-----|---|------|-----|------|-----|----|-----|----|----|---|-----|----|--------|----|------|-----------|------|-----|------|----|----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | | CM | CM |
| | | | | | | | | | | | | | | ARB | P | GE | ANI | CM | M | P | TEC | AJ | NIENTA | LI | CONS | HA | UA | HA | | | |
| 1M 0.01 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 350 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 A 3.44 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 5211 SOL: 0201 Versant inferior ondulat EXPOZITIE: NV INC: 22 G ALTITUDINE: 470 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-echien COMP.ACTUALA: 8 FA 2 GO COMP.TEL: 7FA 2 GO 1 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 120 ani SEM.UTIL: 8FA 2 GO 5 ani 0.3S mixt SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-T.progresive(insamintare) 2016-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE IMPAD SUB MASIV AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | FA | 5 | IN | 160 | 64 | 31 | 2 | | .6 | RN | V | 0.15 | 68 | 234 | 0.6 | | | | | | | | | | | | | | | | |
| | FA | 3 | IN | 130 | 52 | 29 | 3 | M | .6 | RN | N | 0.09 | 52 | 179 | 0.4 | | | | | | | | | | | | | | | | |
| | GO | 2 | IN | 130 | 42 | 27 | 3 | G | .6 | RN | N | 0.06 | 30 | 103 | 0.2 | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | 160 | | | 2 | | | | | 0.3 | 150 | 516 | 1.2 | | | |
| 2 B 22.26 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 5312 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 17 G ALTITUDINE: 360 - 480 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 3 GO 5 FA 2 CA COMP.TEL: 6FA 2 GO 2 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 120 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiiena 2013-T.igiiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | GO | 1 | IN | 150 | 58 | 37 | 2 | M | .5 | RN | N | 0.08 | 70 | 1558 | 0.3 | | | | | | | | | | | | | | | | |
| | FA | 1 | IN | 130 | 52 | 30 | 2 | M | .6 | RN | N | 0.08 | 48 | 1068 | 0.4 | | | | | | | | | | | | | | | | |
| | GO | 2 | LT | 90 | 38 | 24 | 2 | M | .5 | RN | N | 0.16 | 68 | 1514 | 0.8 | | | | | | | | | | | | | | | | |
| | FA | 4 | LT | 90 | 38 | 27 | 2 | M | .6 | RN | N | 0.32 | 160 | 3562 | 2.9 | | | | | | | | | | | | | | | | |
| | CA | 2 | LT | 90 | 28 | 23 | 3 | M | .5 | RN | N | 0.16 | 49 | 1091 | 0.7 | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | 90 | | | 2 | | | | | 0.8 | 395 | 8793 | 5.1 | | | |
| 2 C 0.62 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 4221 SOL: 2212 Versant superior plan EXPOZITIE: NV INC: 6 G ALTITUDINE: 450 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | SC | 10 | LD | 50 | 34 | 24 | 3 | | .6 | NEC | N | 0.70 | 193 | 120 | 0.1 | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | 50 | | | 3 | | | | | 0.7 | 193 | 120 | 0.1 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|---|---|-----|----|----|---|---|----|-------|----|------|-----------|------|-----|------|----|----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | | CM | HA |
| 3V1 0.19 HA GF: SUP: TS: TP: SOL: Versant mijlociu plan EXPOZITIE: V INC: 8 G ALTITUDINE: 470 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3V2 0.09 HA GF: SUP: TS: TP: SOL: Versant mijlociu plan EXPOZITIE: N INC: 10 G ALTITUDINE: 400 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 A 2.21 HA GF: 1 - 4B 3I SUP: Q TS: 5243 TP: 5211 SOL: 2101 Versant ondulat EXPOZITIE: NE INC: 21 G ALTITUDINE: 360 - 440 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Artificial de prod. sup. relativ-echien COMP.ACTUALA: 7 SC 3 FR COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 30 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Doborituri izolate Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiena 2013-T.igiena LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | 44 | | | 2 | | | | | 0.7 | 216 | 477 | 2.4 | | | |
| 4 B 5.42 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 3101 Versant ondulat EXPOZITIE: NE INC: 23 G ALTITUDINE: 380 - 440 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-plurien COMP.ACTUALA: 3 GO 4 FA 3 CA COMP.TEL: 4GO 4 FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.produse accidentale 2013-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | 90 | | | 3 | | | | | 0.8 | 320 | 1734 | 4.3 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|------------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|--|------|-----------|-----------|--|------|
| ELM ARB | P R P | M R E G | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | | MC/ UA | MC/ HA | | |
| | | | | | | | | | | | | | 5 A 0.84 HA GF: 1 - 4B 3I SUP: A TS: 5153 TP: 5511 SOL: 2201 Versant inferior ondulat EXPOZITIE: NE INC: 16 G ALTITUDINE: 300 - 350 M LITIERA: continua-normala TIP FLORA: Asarum-Brachypodium Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 9 ST 1 GO COMP.TEL: 5ST 3 GO 2 DT SORT: STS F gros,cherestea,fumire VARSTA EXPL.: 130 ani SEM.UTIL: 9FR 1 ST 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.PROGRESIVE(insamintare) AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | |
| ST | | | | 5 IN | 130 | 58 | 29 | 2 | | .6 | RN | N | 0.35 | 189 | 159 | 1.2 | | |
| GO | | | | 1 IN | 130 | 52 | 28 | 2 | M | .6 | RN | N | 0.07 | 57 | 48 | 0.3 | | |
| ST | | | | 4 LT | 90 | 36 | 26 | 2 | M | .6 | RN | N | 0.28 | 137 | 115 | 1.2 | | |
| TOTAL | | | | | 130 | | | 2 | | | | | 0.7 | 383 | 322 | 2.7 | | |
| 5 B 13.32 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 20 G ALTITUDINE: 330 - 430 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 3 GO 2 FR 2 CA 1 TE 2 SC COMP.TEL: 5GO 2 FR 1 TE 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.produce accidentale 2010-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| GO | | | | 3 P | 55 | 24 | 20 | 3 | M | .5 | NEC | N | 0.24 | 75 | 999 | 1.8 | | |
| FR | | | | 2 P | 55 | 26 | 22 | 3 | M | .5 | NEC | N | 0.16 | 57 | 759 | 1.3 | | |
| CA | | | | 2 LT | 55 | 18 | 18 | 3 | M | .4 | RN | N | 0.16 | 35 | 466 | 1.2 | | |
| TE | | | | 1 LT | 55 | 22 | 22 | 3 | M | .5 | RN | N | 0.08 | 29 | 386 | 0.9 | | |
| SC | | | | 2 LD | 55 | 34 | 23 | 3 | G | .5 | NEC | N | 0.16 | 41 | 546 | 1.0 | | |
| TOTAL | | | | | 55 | | | 3 | | | | | 0.8 | 237 | 3156 | 6.2 | | |
| 5 C 2.07 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant superior ondulat EXPOZITIE: N INC: 17 G ALTITUDINE: 440 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 7 FA 1 GO 2 CA COMP.TEL: 5FA 3 GO 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 110 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| FA | | | | 2 IN | 140 | 60 | 27 | 3 | M | .7 | RN | N | 0.16 | 80 | 166 | 0.5 | | |
| GO | | | | 1 IN | 140 | 56 | 26 | 3 | M | .6 | RN | N | 0.08 | 39 | 81 | 0.2 | | |
| FA | | | | 5 LT | 90 | 36 | 25 | 3 | | .6 | RN | N | 0.40 | 176 | 364 | 3.2 | | |
| CA | | | | 2 LT | 90 | 26 | 22 | 4 | M | .6 | RN | S | 0.16 | 46 | 95 | 0.7 | | |
| TOTAL | | | | | 90 | | | 3 | | | | | 0.8 | 341 | 706 | 4.6 | | |
| 5 D 3.41 HA GF: 1 - 2A 4B 3I SUP: M TS: 5242 TP: 5314 SOL: 2201 Versant superior framintat EXPOZITIE: NV INC: 36 G ALTITUDINE: 340 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-plurien COMP.ACTUALA: 2 FA 1 GO 4 CA 2 FR 1 SC COMP.TEL: 4FA 2 GO 2 FR 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: SEM.UTIL: 7FR 3 FA 10 ani 0.3S mixt SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.igiena 2016-Taieri de conservare LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | | | | | | | | | | | | |
| FA | | | | 2 LT | 120 | 44 | 27 | 3 | M | .6 | RN | N | 0.14 | 70 | 239 | 0.7 | | |
| GO | | | | 1 IN | 120 | 40 | 24 | 3 | G | .6 | RN | N | 0.07 | 30 | 102 | 0.3 | | |
| CA | | | | 4 LT | 80 | 26 | 22 | 4 | M | .5 | RN | S | 0.28 | 81 | 276 | 1.3 | | |
| FR | | | | 2 IN | 80 | 32 | 25 | 2 | G | .6 | RN | N | 0.14 | 62 | 211 | 0.9 | | |
| SC | | | | 1 LD | 50 | 30 | 23 | 3 | M | .5 | NEC | N | 0.07 | 18 | 61 | 0.4 | | |
| TOTAL | | | | | 120 | | | 3 | | | | | 0.7 | 261 | 889 | 3.6 | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | |
|--|----|----|-----|----|----|---|-----|----|--------|------|------|-----|------|------|-----------|--|--|------|--|--|--|--|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | CONS | MC/ | MC/ | | MC/ | | | | | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TALI | | HA | UA | HA | | | | | | | | | | | | | |
| 5 E 0.80 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 4221 SOL: 2212 Versant mijlociu plan EXPOZITIE: NE INC: 8 G ALTITUDINE: 350 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2011-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 6 | 6 | 5 | 3 | | .3 | NEC | N | 0.80 | 15 | 12 | 6.1 | | | | | | | | | | | | | |
| TOTAL | | | 6 | | | | 3 | | | | 0.8 | 15 | 12 | 6.1 | | | | | | | | | | | | | |
| 5 F 1.97 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 5221 SOL: 2212 Versant superior ondulat EXPOZITIE: NV INC: 18 G ALTITUDINE: 330 - 400 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiena 2012-T.igiena LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 46 | 28 | 24 | 3 | | .4 | NEC | N | 0.70 | 193 | 380 | 0.1 | | | | | | | | | | | | | |
| TOTAL | | | 46 | | | | 3 | | | | 0.7 | 193 | 380 | 0.1 | | | | | | | | | | | | | |
| 5 G 4.87 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 5221 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: N INC: 11 G ALTITUDINE: 330 - 380 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2011-T.igiena 2012-T.igiena LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 46 | 32 | 25 | 3 | | .6 | NEC | N | 0.70 | 208 | 1013 | 0.1 | | | | | | | | | | | | | |
| TOTAL | | | 46 | | | | 3 | | | | 0.7 | 208 | 1013 | 0.1 | | | | | | | | | | | | | |
| 6 A 5.18 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5513 SOL: 2212 Versant inferior ondulat EXPOZITIE: NV INC: 14 G ALTITUDINE: 330 M LITIERA: continua-subtire TIP FLORA: Carex-pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 ST 1 GO COMP.TEL: 5ST 3 GO 2 DT SORT: STS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani SEM.UTIL: 7FR 3 ST 5 ani 0.4S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.progressive(insamintare) 2013-T.progressive(insamintare) LUCRARI PROP.: T.PROGRESIVE(punere lumina) AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ST | 6 | IN | 130 | 52 | 29 | 3 | | .6 | RN | N | 0.36 | 193 | 1000 | 1.0 | | | | | | | | | | | | | |
| GO | 1 | IN | 130 | 56 | 28 | 2 | M | .6 | RN | N | 0.06 | 42 | 218 | 0.3 | | | | | | | | | | | | | |
| ST | 3 | LT | 100 | 40 | 26 | 3 | M | .6 | RN | N | 0.18 | 95 | 492 | 0.5 | | | | | | | | | | | | | |
| TOTAL | | | 130 | | | | 3 | | | | 0.6 | 330 | 1710 | 1.8 | | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|----------------------------|-------------------------------------|------------------------|------|--|------|---------------|---------------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | E L A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | | 6 F 1.67 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5121 SOL: 2212 Versant superior ondulat EXPOZITIE: V INC: 16 G ALTITUDINE: 340 - 380 M LITIERA: continua-normala TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 3 GO 2 PAM 4 CA 1 FA COMP.TEL: 5GO 1 FA 2 PAM 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.produse accidentale 2011-T.igiena LUCRARI PROP.: T.IGIENA | | | | | |
| GO | 3 | P | 65 | 28 | 19 | 3 | M | .5 | NEC | N | 0.21 | 60 | 100 | 1.5 | | | | |
| PAM | 2 | P | 65 | 30 | 20 | 3 | M | .5 | NEC | N | 0.14 | 37 | 62 | 0.4 | | | | |
| CA | 4 | LT | 65 | 22 | 18 | 4 | M | .5 | RN | S | 0.28 | 61 | 102 | 1.7 | | | | |
| FA | 1 | LT | 65 | 32 | 23 | 3 | M | .6 | RN | N | 0.07 | 27 | 45 | 0.7 | | | | |
| TOTAL | | | | 65 | | | 3 | | | | 0.7 | 185 | 309 | 4.3 | | | | |
| 6 G 1.18 HA GF: 1 - 4B 3I SUP: Q TS: 5142 TP: 5121 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: NV INC: 18 G ALTITUDINE: 360 - 400 M LITIERA: lipsa TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 6 | 6 | 5 | 3 | | .3 | NEC | N | 0.70 | 13 | 15 | 5.3 | | | | |
| TOTAL | | | | 6 | | | 3 | | | | 0.7 | 13 | 15 | 5.3 | | | | |
| 6 H 1.14 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 4221 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: NV INC: 14 G ALTITUDINE: 340 - 370 M LITIERA: continua-normala TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 9 SC 1 FR COMP.TEL: 9SC 1 FR SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2017-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| SC | 9 | LD | 2 | | 1 | 3 | | | NEC | N | 0.63 | 1 | 1 | 1.8 | | | | |
| FR | 1 | LT | 2 | | | 3 | M | | RN | N | 0.07 | | | 0.1 | | | | |
| TOTAL | | | | 2 | | | 3 | | | | 0.7 | 1 | 1 | 1.9 | | | | |
| 7 A 1.56 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5324 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: V INC: 13 G ALTITUDINE: 320 - 420 M LITIERA: continua-subtire TIP FLORA: Carex-pilosa Partial derivat relativ-plurien COMP.ACTUALA: 3 GO 7 CA COMP.TEL: 4GO 6 CA SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2013-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| GO | 1 | IN | 130 | 58 | 23 | 3 | M | .6 | RN | N | 0.07 | 28 | 44 | 0.2 | | | | |
| GO | 2 | LT | 85 | 34 | 21 | 3 | M | .6 | RN | N | 0.14 | 47 | 73 | 0.6 | | | | |
| CA | 7 | LT | 85 | 32 | 20 | 4 | | .6 | RN | S | 0.49 | 124 | 193 | 2.2 | | | | |
| TOTAL | | | | 85 | | | 3 | | | | 0.7 | 199 | 310 | 3.0 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|---|----|-----|----|----|---|-----|----|--------|----|------|-----|------|------|-----------|-------|-------|------|
| 8 A 22.95 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5516 SOL: 2212 Versant ondulat EXPOZITIE: SV INC: 21 G ALTITUDINE: 330 - 460 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 4 GO 2 ST 3 FA 1 CA COMP.TEL: 4GO 3 FA 2 ST 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.produse accidentale 2012-T.igiena LUCRARI PROP.: T.IGIENA <th rowspan="2">CONS</th> <th rowspan="2">MC/HA</th> <th rowspan="2">MC/UA</th> <th rowspan="2">MC/HA</th> | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | | |
| | P | GE | ANI | | | P | TEC | AJ | | LI | | | | | | | | |
| GO | 2 | IN | 150 | 54 | 24 | 3 | M | .6 | RN | N | 0.16 | 68 | 1561 | 0.4 | | | | |
| ST | 1 | IN | 150 | 52 | 24 | 3 | M | .6 | RN | N | 0.08 | 35 | 803 | 0.1 | | | | |
| GO | 2 | LT | 90 | 34 | 21 | 3 | M | .6 | RN | N | 0.16 | 54 | 1239 | 0.6 | | | | |
| ST | 1 | LT | 90 | 32 | 21 | 3 | M | .6 | RN | N | 0.08 | 26 | 597 | 0.3 | | | | |
| FA | 3 | LT | 90 | 36 | 25 | 3 | M | .6 | RN | N | 0.24 | 105 | 2410 | 1.9 | | | | |
| CA | 1 | LT | 90 | 30 | 21 | 4 | M | .6 | RN | S | 0.08 | 22 | 505 | 0.3 | | | | |
| TOTAL | | | 90 | | | | 3 | | | | 0.8 | 310 | 7115 | 3.6 | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|---|----|-----|----|----|---|-----|----|--------|----|------|-----|-----|------|-----------|-------|-------|------|
| 8 B 1.54 HA GF: 1 - 4B 3I SUP: A TS: 5132 TP: 5131 SOL: 0201 Versant superior ondulat EXPOZITIE: SV INC: 20 G ALTITUDINE: 460 M LITIERA: continua-normala TIP FLORA: Festuca heterophylla Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 GO 1 CA COMP.TEL: 9GO 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.igiena LUCRARI PROP.: T.IGIENA <th rowspan="2">CONS</th> <th rowspan="2">MC/HA</th> <th rowspan="2">MC/UA</th> <th rowspan="2">MC/HA</th> | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | | |
| | P | GE | ANI | | | P | TEC | AJ | | LI | | | | | | | | |
| GO | 3 | IN | 150 | 54 | 25 | 3 | M | .6 | RN | S | 0.24 | 110 | 169 | 0.6 | | | | |
| GO | 6 | LT | 90 | 34 | 21 | 3 | | .6 | RN | N | 0.48 | 162 | 249 | 1.8 | | | | |
| CA | 1 | LT | 90 | 30 | 21 | 4 | M | .6 | RN | S | 0.08 | 22 | 34 | 0.3 | | | | |
| TOTAL | | | 90 | | | | 3 | | | | 0.8 | 294 | 452 | 2.7 | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|---|----|-----|----|----|---|-----|----|--------|----|------|-----|------|------|-----------|-------|-------|------|
| 9 A 19.00 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5516 SOL: 2212 Versant ondulat EXPOZITIE: SV INC: 20 G ALTITUDINE: 370 - 470 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 6 GO 1 ST 2 FA 1 CA COMP.TEL: 3GO 3 ST 3 FA 1 DT SORT: STS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UUTIL: 6GO 2 FA 2 DT 5 ani 0.5S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.progresive(punere lumina) 2016-T.progresive(punere lumina) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI <th rowspan="2">CONS</th> <th rowspan="2">MC/HA</th> <th rowspan="2">MC/UA</th> <th rowspan="2">MC/HA</th> | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | | |
| | P | GE | ANI | | | P | TEC | AJ | | LI | | | | | | | | |
| GO | 4 | IN | 150 | 54 | 25 | 3 | M | .6 | RN | S | 0.16 | 64 | 1216 | 0.4 | | | | |
| ST | 1 | IN | 150 | 54 | 26 | 3 | M | .6 | RN | S | 0.04 | 18 | 342 | 0.1 | | | | |
| GO | 2 | LT | 90 | 38 | 23 | 3 | M | .6 | RN | N | 0.08 | 20 | 380 | 0.3 | | | | |
| FA | 2 | LT | 90 | 42 | 24 | 3 | M | .6 | RN | N | 0.08 | 30 | 570 | 0.6 | | | | |
| CA | 1 | LT | 90 | 30 | 21 | 4 | M | .5 | RN | S | 0.04 | 19 | 361 | 0.2 | | | | |
| TOTAL | | | 150 | | | | 3 | | | | 0.4 | 151 | 2869 | 1.6 | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|---|----|-----|----|----|---|-----|----|--------|----|------|-----|------|------|-----------|-------|-------|------|
| 9 B 7.75 HA GF: 1 - 4B 3I SUP: A TS: 5132 TP: 5131 SOL: 0201 Versant superior ondulat EXPOZITIE: S INC: 23 G ALTITUDINE: 470 M LITIERA: continua-normala TIP FLORA: Festuca heterophylla Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 GO COMP.TEL: 10GO SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.igiena LUCRARI PROP.: T.IGIENA <th rowspan="2">CONS</th> <th rowspan="2">MC/HA</th> <th rowspan="2">MC/UA</th> <th rowspan="2">MC/HA</th> | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | | |
| | P | GE | ANI | | | P | TEC | AJ | | LI | | | | | | | | |
| GO | 2 | IN | 140 | 54 | 25 | 3 | M | .6 | RN | S | 0.16 | 74 | 574 | 0.4 | | | | |
| GO | 8 | LT | 90 | 36 | 23 | 3 | | .6 | RN | N | 0.64 | 252 | 1953 | 2.4 | | | | |
| TOTAL | | | 90 | | | | 3 | | | | 0.8 | 326 | 2527 | 2.8 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | |
|--|-----|----|----|-----|-----|----|-----|-----|----|--------|-----|------|-----------|------|------|-----------|-----|-----|------|--|
| | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | MC/ | MC/ | MC/ | | |
| | | | | | P | GE | ANI | | | P | TEC | AJ | LI | LI | CONS | HA | UA | HA | | |
| 9N 0.53 HA GF: SUP: TS: TP: SOL: Versant inferior framintat EXPOZITIE: S INC: 38 G ALTITUDINE: 390 - 430 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | |
| 10 A 9.20 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5314 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: V INC: 25 G ALTITUDINE: 380 - 450 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-plurien COMP.ACTUALA: 3 GO 3 CA 1 FA 1 CI 1 TE 1 PAM COMP.TEL: 5GO 2 FA 1 TE 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiena 2014-T.igiena LUCRARI PROP.: RARITURI | | | | | | | | | | | | | | | | | | | | |
| | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | |
| | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | MC/ | MC/ | MC/ | | | | | |
| | | P | GE | ANI | | | P | TEC | AJ | LI | LI | CONS | HA | UA | HA | | | | | |
| | GO | 1 | IN | 140 | 60 | 24 | 4 | M | .6 | RN | S | 0.08 | 34 | 313 | 0.2 | | | | | |
| | GO | 2 | P | 55 | 24 | 20 | 3 | M | .5 | NEC | N | 0.16 | 50 | 460 | 1.2 | | | | | |
| | CA | 3 | IN | 55 | 22 | 18 | 4 | M | .5 | RN | S | 0.24 | 52 | 478 | 1.6 | | | | | |
| | FA | 1 | IN | 55 | 26 | 22 | 3 | M | .5 | RN | N | 0.08 | 29 | 267 | 0.8 | | | | | |
| | CI | 1 | IN | 55 | 24 | 20 | 3 | M | .5 | RN | N | 0.08 | 26 | 239 | 0.3 | | | | | |
| | TE | 1 | LT | 55 | 24 | 20 | 3 | M | .5 | RN | N | 0.08 | 26 | 239 | 0.9 | | | | | |
| | PAM | 1 | P | 55 | 24 | 21 | 3 | M | .5 | NEC | N | 0.08 | 23 | 212 | 0.3 | | | | | |
| TOTAL | | | | | 55 | | | | 3 | | | | 0.8 | 240 | 2208 | 5.3 | | | | |
| 10 B 2.20 HA GF: 1 - 2H 4B 3I SUP: M TS: 5142 TP: 5221 SOL: 2212 Versant superior framintat EXPOZITIE: V INC: 18 G ALTITUDINE: 450 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-Taieri de conservare 2010-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | |
| | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | |
| | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | MC/ | MC/ | MC/ | | | | | |
| | | P | GE | ANI | | | P | TEC | AJ | LI | LI | CONS | HA | UA | HA | | | | | |
| | SC | 10 | LD | 10 | 8 | 7 | 3 | | .3 | NEC | N | 0.80 | 26 | 57 | 8.0 | | | | | |
| TOTAL | | | | | 10 | | | | 3 | | | | 0.8 | 26 | 57 | 8.0 | | | | |
| 10 C 18.36 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: V INC: 21 G ALTITUDINE: 400 - 510 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 3 GO 6 FA 1 CA COMP.TEL: 5GO 4 FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 6FA 4 GO 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alunecare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-T.igiena 2016-T.igiena LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | | | |
| | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | |
| | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | MC/ | MC/ | MC/ | | | | | |
| | | P | GE | ANI | | | P | TEC | AJ | LI | LI | CONS | HA | UA | HA | | | | | |
| | GO | 1 | IN | 150 | 54 | 27 | 3 | M | .6 | RN | N | 0.08 | 42 | 771 | 0.2 | | | | | |
| | FA | 2 | IN | 150 | 56 | 30 | 3 | M | .6 | RN | N | 0.16 | 95 | 1744 | 0.5 | | | | | |
| | FA | 4 | LT | 105 | 40 | 26 | 3 | M | .6 | RN | N | 0.32 | 150 | 2754 | 2.0 | | | | | |
| | GO | 2 | LT | 105 | 36 | 25 | 3 | M | .6 | RN | N | 0.16 | 73 | 1340 | 0.5 | | | | | |
| | CA | 1 | LT | 105 | 32 | 22 | 4 | M | .6 | RN | S | 0.08 | 23 | 422 | 0.2 | | | | | |
| TOTAL | | | | | 105 | | | | 3 | | | | 0.8 | 383 | 7031 | 3.4 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM ARB | P R P | M R E G E | VAR S T A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | DENS C O N S | V O L U M | | | CRES M C / H A | |
|---|---|----|-----|----|----|---|---|----|----|---|------|-----|------|------------|-------------|-----------------------|------------------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|--------------------------|---------------|---------------|---------------|-------------------------------|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | MC/ H A | MC/ U A | MC/ H A | | |
| 10M 0.02 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 450 - 500 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10V 0.09 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 500 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 A 31.89 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant ondulat EXPOZITIE: V INC: 21 G ALTITUDINE: 380 - 570 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 5 GO 3 FA 2 CA COMP.TEL: 5GO 3 FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alunecare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GO | 2 | IN | 150 | 60 | 25 | 3 | M | .6 | RN | N | 0.16 | 74 | 2360 | 0.4 | | | | | | | | | | | | | | | | |
| FA | 1 | IN | 150 | 54 | 29 | 3 | M | .6 | RN | N | 0.08 | 45 | 1435 | 0.2 | | | | | | | | | | | | | | | | |
| FA | 2 | LT | 100 | 38 | 28 | 3 | M | .6 | RN | N | 0.16 | 85 | 2711 | 1.1 | | | | | | | | | | | | | | | | |
| GO | 3 | LT | 100 | 40 | 24 | 3 | M | .6 | RN | N | 0.24 | 102 | 3253 | 0.7 | | | | | | | | | | | | | | | | |
| CA | 2 | LT | 100 | 28 | 22 | 4 | M | .6 | RN | S | 0.16 | 46 | 1467 | 0.5 | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | 100 | | | | 3 | | | | 0.8 | 352 | 11226 | 2.9 | | | |
| 11 B 16.51 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: V INC: 19 G ALTITUDINE: 430 - 540 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 7 GO 3 FA COMP.TEL: 7GO 3 FA SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiена 2016-T.igiена LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GO | 2 | IN | 140 | 56 | 24 | 3 | M | .6 | RN | N | 0.16 | 68 | 1123 | 0.4 | | | | | | | | | | | | | | | | |
| FA | 1 | IN | 140 | 52 | 29 | 3 | M | .6 | RN | N | 0.08 | 45 | 743 | 0.2 | | | | | | | | | | | | | | | | |
| GO | 5 | LT | 100 | 40 | 23 | 3 | | .6 | RN | N | 0.40 | 158 | 2609 | 1.2 | | | | | | | | | | | | | | | | |
| FA | 2 | LT | 100 | 38 | 26 | 3 | M | .6 | RN | N | 0.16 | 75 | 1238 | 1.1 | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | 100 | | | | 3 | | | | 0.8 | 346 | 5713 | 2.9 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|---|----|-----|----|----|---|---|----|-------|----|------|-----------|------|-----|------|----|----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | | CM | HA |
| 11M 0.01 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 390 - 440 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11V 0.29 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 500 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 A 14.84 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant ondulat EXPOZITIE: V INC: 23 G ALTITUDINE: 430 - 580 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 4 GO 6 FA COMP.TEL: 5GO 5 FA SORT: GOL Gros,si mijlociu,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiena 2016-T.igiena LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | GO | 2 | IN | 150 | 60 | 28 | 3 | M | .6 | RN | N | 0.16 | 90 | 1336 | 0.4 | | | |
| | | | | | | | | | | | | | | FA | 1 | IN | 150 | 58 | 30 | 3 | M | .6 | RN | N | 0.08 | 48 | 712 | 0.2 | | | |
| | | | | | | | | | | | | | | GO | 2 | LT | 100 | 36 | 26 | 2 | M | .6 | RN | N | 0.16 | 78 | 1158 | 0.6 | | | |
| | | | | | | | | | | | | | | FA | 5 | LT | 100 | 42 | 27 | 3 | | .6 | RN | N | 0.40 | 199 | 2953 | 2.7 | | | |
| TOTAL | | | | | | | | | | | | | | | | | 100 | | | | | | | | 0.8 | 415 | 6159 | 3.9 | | | |
| 12 B 5.90 HA GF: 1 - 4B 3I SUP: A TS: 5132 TP: 5131 SOL: 2201 Versant superior ondulat EXPOZITIE: V INC: 14 G ALTITUDINE: 580 M LITIERA: continua-normala TIP FLORA: Festuca heterophylla Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 GO COMP.TEL: 10GO SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiena 2016-T.igiena LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | GO | 3 | IN | 140 | 54 | 25 | 3 | M | .6 | RN | N | 0.24 | 110 | 649 | 0.6 | | | |
| | | | | | | | | | | | | | | GO | 7 | LT | 100 | 34 | 22 | 3 | | .6 | RN | N | 0.56 | 204 | 1204 | 1.7 | | | |
| TOTAL | | | | | | | | | | | | | | | | | 100 | | | | | | | | 0.8 | 314 | 1853 | 2.3 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | | |
|---|---|----|-----|-----|----|---|---|-----|-------|----|----|----|------|-------|-----------|-------|-------|------|--|--|--|--|--|--|--|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | |
| 13 A 13.65 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 5211 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 24 G ALTITUDINE: 420 - 500 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 4 GO 5 FA 1 CA COMP.TEL: 6GO 3 FA 1 DT SORT: GOS F.gros,cherestea,furnire VARSTA EXPL.: 130 ani FA F.gros,cher. sup.,derulaj SEM.UTIL: 6FA 4 GO 5 ani 0.5S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2015-T.progresive(insamintare) 2017-T.progresive(punere lumina) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARB | P | R | GE | ANI | CM | M | P | TEC | AG | NI | TA | LI | CONS | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| GO | 3 | IN | 150 | 58 | 28 | 2 | M | .6 | RN | N | | | 0.15 | 69 | 942 | 0.5 | | | | | | | | | | | | | | |
| FA | 3 | IN | 150 | 58 | 31 | 2 | M | .6 | RN | N | | | 0.15 | 83 | 1133 | 0.6 | | | | | | | | | | | | | | |
| GO | 1 | LT | 110 | 40 | 26 | 2 | M | .6 | RN | N | | | 0.05 | 32 | 437 | 0.2 | | | | | | | | | | | | | | |
| FA | 2 | LT | 110 | 34 | 28 | 2 | M | .6 | RN | N | | | 0.10 | 37 | 505 | 0.7 | | | | | | | | | | | | | | |
| CA | 1 | LT | 110 | 30 | 22 | 3 | M | .6 | RN | N | | | 0.05 | 21 | 287 | 0.2 | | | | | | | | | | | | | | |
| TOTAL | | | 150 | | | | | 2 | | | | | 0.5 | 242 | 3304 | 2.2 | | | | | | | | | | | | | | |
| 13 B 6.23 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: NE INC: 18 G ALTITUDINE: 470 - 500 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 5 GO 2 FA 2 CA 1 SC COMP.TEL: 7GO 3 FA SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA F.gros,cher. sup.,derulaj SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.progresive(punere lumina) 2012-T.igiena LUCRARI PROP.: DEGAJARI CURATIRI | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARB | P | R | GE | ANI | CM | M | P | TEC | AG | NI | TA | LI | CONS | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| GO | 5 | P | 10 | 2 | 2 | 3 | | | NEC | N | | | 0.40 | 2 | 12 | 1.5 | | | | | | | | | | | | | | |
| FA | 2 | IN | 10 | 2 | 2 | 3 | M | | RN | N | | | 0.16 | 1 | 6 | 0.4 | | | | | | | | | | | | | | |
| CA | 2 | LT | 10 | 2 | 2 | 3 | M | | RN | N | | | 0.16 | 1 | 6 | 0.8 | | | | | | | | | | | | | | |
| SC | 1 | LD | 10 | 4 | 3 | 3 | G | | NEC | N | | | 0.08 | 1 | 6 | 0.8 | | | | | | | | | | | | | | |
| TOTAL | | | 10 | | | | | 3 | | | | | 0.8 | 5 | 30 | 3.5 | | | | | | | | | | | | | | |
| 13 C 3.29 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 4211 SOL: 2101 Versant ondulat EXPOZITIE: NE INC: 17 G ALTITUDINE: 510 - 540 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 8 FA 2 GO COMP.TEL: 7FA 2 GO 1 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 120 ani GOS F.gros,cherestea,furnire SEM.UTIL: 9FA 1 GO 5 ani 0.5S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.igiena 2016-T.progresive(punere lumina) LUCRARI PROP.: T.PROGRESIVE(racordare)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARB | P | R | GE | ANI | CM | M | P | TEC | AG | NI | TA | LI | CONS | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| FA | 4 | IN | 140 | 52 | 30 | 2 | M | .6 | RN | N | | | 0.12 | 74 | 243 | 0.5 | | | | | | | | | | | | | | |
| GO | 2 | IN | 110 | 38 | 28 | 2 | M | .6 | RN | N | | | 0.06 | 40 | 132 | 0.3 | | | | | | | | | | | | | | |
| FA | 4 | LT | 110 | 42 | 29 | 2 | M | .6 | RN | N | | | 0.12 | 59 | 194 | 0.8 | | | | | | | | | | | | | | |
| TOTAL | | | 140 | | | | | 2 | | | | | 0.3 | 173 | 569 | 1.6 | | | | | | | | | | | | | | |
| 13 D 5.86 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 5231 SOL: 2201 Versant inferior ondulat EXPOZITIE: NE INC: 36 G ALTITUDINE: 390 - 420 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 9FA 1 GO SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: GOS F.gros,cherestea,furnire SEM.UTIL: 10FA 10 ani 0.2S grupe SUBARBORET: DATE COMPL.: Alunecare mijlocie Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARB | P | R | GE | ANI | CM | M | P | TEC | AG | NI | TA | LI | CONS | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| FA | 4 | IN | 140 | 56 | 29 | 3 | M | .6 | RN | N | | | 0.28 | 157 | 920 | 0.8 | | | | | | | | | | | | | | |
| GO | 1 | IN | 140 | 50 | 26 | 3 | M | .6 | RN | N | | | 0.07 | 34 | 199 | 0.2 | | | | | | | | | | | | | | |
| FA | 5 | IN | 120 | 44 | 28 | 3 | | | RN | N | | | 0.35 | 185 | 1084 | 1.8 | | | | | | | | | | | | | | |
| TOTAL | | | 140 | | | | | 3 | | | | | 0.7 | 376 | 2203 | 2.8 | | | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|---|------|-----------|-----------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | | MC/ UA | MC/ HA | | |
| | | | | | | | | | | | | | 13 E 2.57 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 5211 SOL: 2201 Versant superior ondulat EXPOZITIE: NE INC: 21 G ALTITUDINE: 500 - 520 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 6 GO 4 FA COMP.TEL: 5FA 4 GO 1 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 120 ani GOS F.gros,cherestea,fumire SEM.UUTIL: 7FA 3 GO 10 ani 0.6S mixt SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.progresive(insamintare) 2016-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE(racordare)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | |
| TOTAL | | | | 150 | | | 2 | | | | | 0.4 | 198 | 509 | 1.6 | | | |
| 13 F 1.35 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2101 Versant superior ondulat EXPOZITIE: V INC: 34 G ALTITUDINE: 515 - 535 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 2 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: GOS F.gros,cherestea,fumire SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 110 | | | 3 | | | | | 0.8 | 399 | 539 | 4.6 | | | |
| 14 A 21.60 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant framintat EXPOZITIE: N INC: 23 G ALTITUDINE: 370 - 470 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 3 CA 2 GO 2 FR 1 TE 1 PAM 1 SC COMP.TEL: 4GO 3 FR 1 TE 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani GOS F.gros,cherestea,fumire SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 50 | | | 3 | | | | | 0.8 | 243 | 5249 | 6.3 | | | |
| 14 B 0.33 HA GF: 1 - 4B 3I SUP: Q TS: 5152 TP: 5113 SOL: 2201 Versant superior ondulat EXPOZITIE: NE INC: 14 G ALTITUDINE: 490 M LITIERA: continua-subtire TIP FLORA: Asarum-Stellaria Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani GOS F.gros,cherestea,fumire SEM.UUTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.cring dec II) | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 34 | | | 3 | | | | | 0.7 | 124 | 41 | 4.8 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|--|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|--|---------------|------|---------------|-----|-----|------|
| ELM ARB | P R P | M R E | VAR R E S T A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | MC/ U A | | MC/ H A | | | |
| | | | | | | | | | | | | 14 C 1.87 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 5231 SOL: 2201 Versant inferior framintat EXPOZITIE: NE INC: 36 G ALTITUDINE: 390 - 480 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 6 FA 3 GO 1 CA COMP.TEL: 6FA 4 GO SORT: SCL VARSTA EXPL.: GOS F.gros,cherestea,fumire SEM.UTIL: 8FA 2 GO 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-Taieri de conservare LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE | | | | | | |
| FA | 2 | IN | 150 | 54 | 29 | 3 | M | .6 | RN | N | 0.12 | 67 | 125 | 0.3 | | | | |
| GO | 1 | IN | 150 | 56 | 26 | 3 | M | .6 | RN | N | 0.06 | 30 | 56 | 0.2 | | | | |
| GO | 2 | IN | 120 | 48 | 24 | 3 | M | .6 | RN | N | 0.12 | 51 | 95 | 0.5 | | | | |
| FA | 4 | IN | 120 | 42 | 28 | 3 | M | .6 | RN | N | 0.24 | 127 | 237 | 1.2 | | | | |
| CA | 1 | LT | 100 | 36 | 22 | 4 | M | .6 | RN | N | 0.06 | 17 | 32 | 0.2 | | | | |
| TOTAL | | | | 120 | | | 3 | | | | 0.6 | 292 | 545 | 2.4 | | | | |
| 14 D 3.11 HA GF: 1 - 2H 4B 3I SUP: M TS: 5232 TP: 5231 SOL: 2201 Versant inferior ondulat EXPOZITIE: N INC: 24 G ALTITUDINE: 370 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 9 SC 1 CA COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: GOS F.gros,cherestea,fumire SEM.UTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE | | | | | | | | | | | | | | 0.63 | 187 | 582 | 3.6 | |
| SC | 9 | LD | 60 | 34 | 25 | 3 | | .6 | NEC | N | 0.63 | 187 | 582 | 3.6 | | | | |
| CA | 1 | LT | 60 | 26 | 20 | 3 | M | .5 | RN | N | 0.07 | 18 | 56 | 0.5 | | | | |
| TOTAL | | | | 60 | | | 3 | | | | 0.7 | 205 | 638 | 4.1 | | | | |
| 14 E 9.11 HA GF: 1 - 4B 3I SUP: Q TS: 5232 TP: 5231 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 16 G ALTITUDINE: 400 - 480 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani GOS F.gros,cherestea,fumire SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-Cring-taiere de jos 2014-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | 0.70 | 22 | 200 | 3.9 | |
| SC | 10 | LD | 4 | 8 | 7 | 3 | | .3 | NEC | N | 0.70 | 22 | 200 | 3.9 | | | | |
| TOTAL | | | | 4 | | | 3 | | | | 0.7 | 22 | 200 | 3.9 | | | | |
| 14 F 1.30 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 5221 SOL: 2212 Versant superior ondulat EXPOZITIE: N INC: 14 G ALTITUDINE: 420 - 480 M LITIERA: continua-normala TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 8 SC 1 TE 1 CA COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani GOS F.gros,cherestea,fumire SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | | 0.56 | 142 | 185 | 0.1 | |
| SC | 8 | LD | 60 | 34 | 23 | 3 | | .6 | NEC | N | 0.56 | 142 | 185 | 0.1 | | | | |
| TE | 1 | LT | 60 | 24 | 21 | 3 | M | .6 | RN | N | 0.07 | 24 | 31 | 0.7 | | | | |
| CA | 1 | LT | 60 | 22 | 19 | 4 | M | .5 | RN | S | 0.07 | 16 | 21 | 0.4 | | | | |
| TOTAL | | | | 60 | | | 3 | | | | 0.7 | 182 | 237 | 1.2 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | | |
|--|-----|---|-----|----|----|----|---|----|-------|-----|----|----|------|------|-----------|-------|-------|------|----|---|---|-----|----|----|--------|----|------|-----|-----|-----|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | |
| 16 E 3.55 HA GF: 1 - 4B 3I SUP: A TS: 5233 TP: 5221 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: NE INC: 12 G ALTITUDINE: 380 - 470 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 5 FR 3 SC 2 PAM COMP.TEL: 6FR 2 PAM 2 DT SORT: FR Gros si mijl.,cherestea VARSTA EXPL.: 80 ani GOS F.gros,cherestea,fumire SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | ARB | P | RE | GE | ANI | CM | M | P | TEC | AG | AJ | NIENTA | LI | 0.40 | 132 | 469 | 3.8 |
| | FR | 5 | P | 45 | 24 | 21 | 3 | | .5 | NEC | N | | | 0.24 | 56 | 199 | 1.6 | | | | | | | | | | | | | |
| | SC | 3 | LD | 45 | 26 | 22 | 3 | M | .5 | NEC | N | | | 0.16 | 43 | 153 | 0.5 | | | | | | | | | | | | | |
| | PAM | 2 | P | 45 | 24 | 20 | 3 | G | .5 | NEC | N | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 45 | | | | 3 | | | | | | 0.8 | 231 | 821 | 5.9 | | | | | | | | | | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | | |
|---|----|---|-----|----|----|----|---|----|-------|----|----|----|------|------|-----------|-------|-------|------|----|---|---|-----|----|----|--------|----|------|----|-----|-----|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | |
| 16 F 6.35 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant superior ondulat EXPOZITIE: NE INC: 24 G ALTITUDINE: 440 - 480 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 5 CA 3 TE 2 FA COMP.TEL: 3FA 4 TE 3 CA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOS F.gros,cherestea,fumire SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | ARB | P | RE | GE | ANI | CM | M | P | TEC | AG | AJ | NIENTA | LI | 0.40 | 73 | 464 | 2.9 |
| | CA | 5 | LT | 45 | 20 | 16 | 4 | | .5 | RN | S | | | 0.24 | 67 | 425 | 2.8 | | | | | | | | | | | | | |
| | TE | 3 | LT | 45 | 20 | 18 | 3 | M | .5 | RN | N | | | 0.16 | 46 | 292 | 1.6 | | | | | | | | | | | | | |
| | FA | 2 | LT | 45 | 22 | 19 | 3 | M | .5 | RN | N | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 45 | | | | 3 | | | | | | 0.8 | 186 | 1181 | 7.3 | | | | | | | | | | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | | |
|---|----|----|-----|----|----|----|---|----|-------|-----|----|----|------|------|-----------|-------|-------|------|----|---|---|-----|----|----|--------|----|------|----|----|-----|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | |
| 16 G 0.93 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 4221 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: N INC: 18 G ALTITUDINE: 430 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani GOS F.gros,cherestea,fumire SEM.UTIL: SUBARBORET: Pad. Mcs. Ln.c /0.2 PE 0.2S mixt DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.cring dec II) | | | | | | | | | | | | | | ARB | P | RE | GE | ANI | CM | M | P | TEC | AG | AJ | NIENTA | LI | 0.70 | 46 | 43 | 4.8 |
| | SC | 10 | LD | 30 | 30 | 11 | 3 | | .6 | NEC | N | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 30 | | | | 3 | | | | | | 0.7 | 46 | 43 | 4.8 | | | | | | | | | | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | | |
|--|----|---|-----|-----|----|----|---|----|-------|----|----|----|------|------|-----------|-------|-------|------|----|---|---|-----|----|----|--------|----|------|----|------|-----|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | |
| 17 A 33.63 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5516 SOL: 2212 Versant ondulat EXPOZITIE: NV INC: 16 G ALTITUDINE: 340 - 470 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 5 GO 4 FA 1 CA COMP.TEL: 4GO 3 FA 2 ST 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: 7FA 3 GO 5 ani 0.5S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-T.progressive(insamintare) 2013-T.progressive(insamintare) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | ARB | P | RE | GE | ANI | CM | M | P | TEC | AG | AJ | NIENTA | LI | 0.10 | 62 | 2085 | 0.3 |
| | GO | 2 | IN | 150 | 56 | 27 | 3 | M | .6 | RN | N | | | 0.10 | 47 | 1581 | 0.3 | | | | | | | | | | | | | |
| | FA | 2 | IN | 150 | 60 | 29 | 3 | M | .6 | RN | N | | | 0.15 | 65 | 2186 | 0.4 | | | | | | | | | | | | | |
| | GO | 3 | LT | 110 | 42 | 24 | 3 | M | .6 | RN | N | | | 0.10 | 54 | 1816 | 0.6 | | | | | | | | | | | | | |
| | FA | 2 | LT | 110 | 38 | 25 | 3 | M | .6 | RN | N | | | 0.05 | 16 | 538 | 0.3 | | | | | | | | | | | | | |
| | CA | 1 | LT | 80 | 24 | 21 | 3 | M | .6 | RN | N | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | 150 | | | | 3 | | | | | | 0.5 | 244 | 8206 | 1.9 | | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|----|-----|----|----|---|-----|----|-------|----|------|-----------|------|-----|------|----|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | | CM | M |
| | | | | | | | | | | | | | | | P | GE | ANI | | | P | TEC | AJ | | LI | | HA | UA | HA | | | |
| 17 B 1.46 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 5221 SOL: 2212 Versant superior undulat EXPOZITIE: NV INC: 11 G ALTITUDINE: 450 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: Sing Pad. So.n /0.2 PE 0.2S mixt DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.cring dec II) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | SC | 10 | LD | 34 | 22 | 17 | 3 | | .5 | NEC | N | 0.80 | 116 | 169 | 5.4 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 34 | | | 3 | | | | | 0.8 | 116 | 169 | 5.4 | | | |
| 18 A 9.77 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant undulat EXPOZITIE: N INC: 21 G ALTITUDINE: 410 - 470 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 2 GO 2 CA 3 FA 1 TE 1 PAM 1 SC COMP.TEL: 4GO 4 FA 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-Rarituri 2017-Rarituri LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | GO | 2 | P | 60 | 24 | 19 | 3 | M | .6 | NEC | N | 0.16 | 46 | 449 | 1.2 | | | |
| | | | | | | | | | | | | | | CA | 2 | LT | 60 | 22 | 18 | 4 | M | .6 | RN | S | 0.16 | 35 | 342 | 1.0 | | | |
| | | | | | | | | | | | | | | FA | 3 | LT | 60 | 28 | 20 | 3 | M | .6 | RN | N | 0.24 | 74 | 723 | 2.4 | | | |
| | | | | | | | | | | | | | | TE | 1 | LT | 60 | 24 | 21 | 3 | M | .6 | RN | N | 0.08 | 27 | 264 | 0.8 | | | |
| | | | | | | | | | | | | | | PAM | 1 | P | 60 | 30 | 20 | 3 | M | .6 | NEC | N | 0.08 | 21 | 205 | 0.3 | | | |
| | | | | | | | | | | | | | | SC | 1 | LD | 60 | 34 | 22 | 3 | G | .6 | NEC | N | 0.08 | 19 | 186 | 0.5 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 60 | | | 3 | | | | | 0.8 | 222 | 2169 | 6.2 | | | |
| 18 B 1.47 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 5221 SOL: 2212 Versant undulat EXPOZITIE: NE INC: 21 G ALTITUDINE: 400 - 460 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.cring dec II) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | SC | 10 | LD | 30 | 22 | 19 | 3 | | .5 | NEC | N | 0.80 | 142 | 209 | 5.4 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 30 | | | 3 | | | | | 0.8 | 142 | 209 | 5.4 | | | |
| 18 C 1.98 HA GF: 1 - 4B 3I SUP: Q TS: 5242 TP: 5212 SOL: 2201 Versant superior undulat EXPOZITIE: N INC: 24 G ALTITUDINE: 420 - 520 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-plurien COMP.ACTUALA: 1 FA 7 SC 1 CA 1 TE COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 1 | IN | 120 | 52 | 28 | 3 | M | .6 | RN | N | 0.07 | 37 | 73 | 0.4 | | | |
| | | | | | | | | | | | | | | SC | 7 | LD | 60 | 38 | 25 | 3 | | .6 | NEC | N | 0.49 | 146 | 289 | 0.1 | | | |
| | | | | | | | | | | | | | | CA | 1 | LT | 60 | 24 | 19 | 4 | M | .5 | RN | S | 0.07 | 16 | 32 | 0.4 | | | |
| | | | | | | | | | | | | | | TE | 1 | LT | 60 | 26 | 20 | 3 | M | .5 | RN | N | 0.07 | 22 | 44 | 0.7 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 60 | | | 3 | | | | | 0.7 | 221 | 438 | 1.6 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|------------------------------|--------------|---------|-------------|---------------------------------|----------------------------|-------------------------------------|------------------------|---|---------------|---------------|------|---------------|--|--|------|
| ELM ARB | P R P | M R E | VAR S T A N I | DM C M | HM M | C L P | A M E S T E C | E L A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | | MC/ H A | | | |
| | | | | | | | | | | | 18 D 2.72 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2101 Versant framintat EXPOZITIE: NE INC: 36 G ALTITUDINE: 410 - 460 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: 10FA 10 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-Taieri de conservare LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | |
| FA | 9 | IN | 140 | 60 | 29 | 3 | | .6 | RN | N | 0.63 | 354 | 963 | 1.8 | | | | |
| FA | 1 | IN | 100 | 40 | 26 | 3 | M | .6 | RN | N | 0.07 | 33 | 90 | 0.5 | | | | |
| TOTAL | | | 140 | | | | | 3 | | | 0.7 | 387 | 1053 | 2.3 | | | | |
| 18 E 0.76 HA GF: 1 - 4B 3I SUP: Q TS: 5233 TP: 5221 SOL: 2212 Versant mijlociu ondulat EXPOZITIE: N INC: 12 G ALTITUDINE: 430 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.1S grupe SUBARBORET: Pad. Ln.c Mcs. /0.2 PE 0.2S mixt DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 50 | 30 | 25 | 3 | | .6 | NEC | N | 0.70 | 208 | 158 | 0.1 | | | | |
| TOTAL | | | 50 | | | | | 3 | | | 0.7 | 208 | 158 | 0.1 | | | | |
| 19 A 19.43 HA GF: 1 - 2H 4B 3I SUP: M TS: 5152 TP: 5212 SOL: 2201 Versant framintat EXPOZITIE: E INC: 27 G ALTITUDINE: 320 - 460 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-Taieri de conservare 2017-Taieri de conservare LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 10 | 8 | 6 | 3 | | | NEC | N | 0.70 | 18 | 350 | 7.0 | | | | |
| TOTAL | | | 10 | | | | | 3 | | | 0.7 | 18 | 350 | 7.0 | | | | |
| 19 B 0.61 HA GF: 1 - 4B 3I SUP: A TS: 5233 TP: 5221 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 460 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 6 GO 4 FA COMP.TEL: 6GO 2 FA 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 9FA 1 GO 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.progresive(insamintare) | | | | | | | | | | | | | | | | | | |
| GO | 6 | IN | 130 | 46 | 25 | 3 | | .6 | RN | N | 0.30 | 263 | 160 | 1.0 | | | | |
| FA | 3 | IN | 130 | 52 | 26 | 3 | M | .6 | RN | N | 0.15 | 160 | 98 | 0.6 | | | | |
| FA | 1 | LT | 90 | 32 | 24 | 3 | M | .5 | RN | N | 0.05 | 17 | 10 | 0.4 | | | | |
| TOTAL | | | 130 | | | | | 3 | | | 0.5 | 440 | 268 | 2.0 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|---|----|-----|----|----|---|-----|----|--------|----|------|-----------|-------|-------|------|-------|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | | MC/HA | |
| 21 B 2.91 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 4211 SOL: 2201 Platou plan EXPOZITIE: INC: ALTITUDINE: 460 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 6FA 2 GO 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.4S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2008-T.progresive(insamintare) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | |
| | | | | | | | | | | | | | | FA | 5 | IN | 140 | 60 | 30 | 2 | M | .6 | RN | N | 0.25 | 134 | 390 | 1.0 | | | |
| | | | | | | | | | | | | | | FA | 4 | LT | 120 | 48 | 29 | 3 | | .5 | RN | N | 0.20 | 118 | 343 | 1.0 | | | |
| | | | | | | | | | | | | | | GO | 1 | LT | 120 | 42 | 26 | 3 | M | .6 | RN | N | 0.05 | 38 | 111 | 0.1 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 120 | | | | | | | | 0.5 | 290 | 844 | 2.1 | | | |
| 21 C 10.76 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5516 SOL: 2212 Versant superior ondulat EXPOZITIE: SV INC: 14 G ALTITUDINE: 460 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 6 GO 3 FA 1 ST COMP.TEL: 4GO 3 FA 2 ST 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 6FA 4 GO 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Uscare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | |
| | | | | | | | | | | | | | | GO | 6 | LT | 110 | 44 | 26 | 3 | | .6 | RN | N | 0.48 | 233 | 2507 | 1.4 | | | |
| | | | | | | | | | | | | | | FA | 3 | LT | 110 | 48 | 28 | 3 | M | .6 | RN | N | 0.24 | 127 | 1367 | 1.4 | | | |
| | | | | | | | | | | | | | | ST | 1 | LT | 110 | 44 | 25 | 3 | M | .6 | RN | N | 0.08 | 36 | 387 | 0.2 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | | 0.8 | 396 | 4261 | 3.0 | | |
| 21 D 0.93 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5516 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 460 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 5 GO 4 ST 1 FA COMP.TEL: 4GO 3 ST 2 FA 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 7GO 3 FA 4 ani 0.1S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | |
| | | | | | | | | | | | | | | GO | 5 | LT | 110 | 46 | 23 | 3 | | .6 | RN | N | 0.35 | 138 | 128 | 1.0 | | | |
| | | | | | | | | | | | | | | ST | 4 | LT | 110 | 40 | 23 | 3 | M | .6 | RN | N | 0.28 | 107 | 100 | 0.7 | | | |
| | | | | | | | | | | | | | | FA | 1 | LT | 110 | 42 | 25 | 3 | M | .6 | RN | N | 0.07 | 31 | 29 | 0.4 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | | 0.7 | 276 | 257 | 2.1 | | |
| 21 E 0.53 HA GF: 1 - 2A 4B 3I SUP: M TS: 5152 TP: 5212 SOL: 2201 Versant inferior framintat EXPOZITIE: SV INC: 38 G ALTITUDINE: 435 - 460 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 5 FA 3 GO 1 CA 1 SC COMP.TEL: 5FA 4 GO 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | | | | | |
| | | | | | | | | | | | | | | FA | 5 | IN | 15 | 4 | 5 | 3 | | | RN | N | 0.35 | 11 | 6 | 1.3 | | | |
| | | | | | | | | | | | | | | GO | 3 | IN | 15 | 4 | 4 | 3 | M | | RN | N | 0.21 | 4 | 2 | 1.2 | | | |
| | | | | | | | | | | | | | | CA | 1 | LT | 15 | 4 | 5 | 3 | M | | RN | N | 0.07 | 2 | 1 | 0.5 | | | |
| | | | | | | | | | | | | | | SC | 1 | LD | 16 | 6 | 6 | 3 | M | | NEC | N | 0.07 | 2 | 1 | 0.7 | | | |
| | | | | | | | | | | | | | | TOTAL | | | 15 | | | | | | | | | 0.7 | 19 | 10 | 3.7 | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|---|----|-----|----|----|---|---|----|-------|----|------|-----------|------|------|------|----|---|---|-----|----|--------|----|----|------|-------|-------|-------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | | CM | M | L | MES | AG | NIENTA | TA | LI | CONS | MC/HA | MC/UA | MC/HA |
| 22 B 0.77 HA GF: 1 - 4B 3I SUP: A TS: 5121 TP: 5412 SOL: 1313 Platou plan EXPOZITIE: INC: ALTITUDINE: 460 M LITIERA: continua-normala TIP FLORA: Brachyp-Geum-Pulmon. Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 6 ST 4 GO COMP.TEL: 6ST 4 GO SORT: STS Mijl.,constructii,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | ST | 6 | IN | 100 | 36 | 24 | 4 | | .4 | RN | S | 0.42 | 182 | 140 | 2.2 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | GO | 4 | IN | 80 | 28 | 22 | 4 | M | .4 | RN | S | 0.28 | 103 | 79 | 1.4 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 100 | | | | | | | | | 0.7 | 285 | 219 | 3.6 | | | | | | | | | | | | |
| 22 C 2.85 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2201 Versant inferior framintat EXPOZITIE: N INC: 38 G ALTITUDINE: 350 - 460 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: STS Mijl.,constructii,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. Alunecare mijlocie POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 6 | IN | 110 | 42 | 27 | 3 | | .6 | RN | N | 0.42 | 209 | 596 | 2.4 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 4 | LT | 70 | 28 | 23 | 3 | | .6 | RN | N | 0.28 | 108 | 308 | 2.7 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | | 0.7 | 317 | 904 | 5.1 | | | | | | | | | | | | |
| 22 D 6.69 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant ondulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 350 - 410 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 3 | IN | 110 | 44 | 27 | 3 | M | .6 | RN | N | 0.24 | 120 | 803 | 1.4 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 7 | LT | 80 | 32 | 24 | 3 | | .6 | RN | N | 0.56 | 230 | 1539 | 4.9 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 80 | | | | | | | | | 0.8 | 350 | 2342 | 6.3 | | | | | | | | | | | | |
| 22 E 0.84 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2201 Ravena ondulat EXPOZITIE: N INC: 40 G ALTITUDINE: 420 - 445 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 3 | LT | 120 | 48 | 29 | 3 | M | .6 | RN | N | 0.21 | 118 | 99 | 1.1 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 7 | LT | 80 | 32 | 25 | 3 | | .6 | RN | N | 0.49 | 215 | 181 | 4.3 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 80 | | | | | | | | | 0.7 | 333 | 280 | 5.4 | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|--------------------|---------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|--|---------------|---------------|---------------|---------------|--|------|
| ELM ARB | P R P | M R E | VAR R E G | STA A N | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | 22 F 5.23 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 25 G ALTITUDINE: 380 - 460 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Doborituri izolate Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | |
| FA | 7 | IN | 100 | 40 | 26 | 3 | | .6 | RN | N | | 0.49 | 230 | 1203 | 3.3 | | | |
| FA | 3 | LT | 70 | 28 | 23 | 3 | M | .6 | RN | N | | 0.21 | 81 | 424 | 2.0 | | | |
| TOTAL | | | 100 | | | | | 3 | | | | 0.7 | 311 | 1627 | 5.3 | | | |
| 22N1 0.35 HA GF: SUP: TS: TP: SOL: Ravena framintat EXPOZITIE: INC: 30 G ALTITUDINE: 420 - 440 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare slaba Inmlast.-scurta durata Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | |
| ARB | R | R | STA | CM | M | L | M | AG | NIENTA | T | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | |
| 22N2 2.64 HA GF: SUP: TS: TP: SOL: Ravena framintat EXPOZITIE: INC: 45 G ALTITUDINE: 450 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare puternica Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | |
| ARB | R | R | STA | CM | M | L | M | AG | NIENTA | T | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | |
| 23 5.55 HA GF: 1 - 2A 3I SUP: M TS: 5131 TP: 5151 SOL: 0201 Versant superior framintat EXPOZITIE: S INC: 35 G ALTITUDINE: 460 M LITIERA: intrerupta-subtire TIP FLORA: Luzula albida Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-Taieri de conservare 2015-Taieri de conservare LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | |
| ARB | R | R | STA | CM | M | L | M | AG | NIENTA | T | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| SC | 10 | LT | 5 | 2 | 4 | 3 | | | NEC | N | 0.80 | 10 | 56 | 5.6 | | | | |
| TOTAL | | | 5 | | | | | 3 | | | 0.8 | 10 | 56 | 5.6 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|---|----|-----|----|----|---|-----|----|--------|----|------|-----------|-------|-------|------|-------|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | | MC/HA | | |
| 24 A 8.95 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5314 SOL: 2101 Versant mijlociu ondulat EXPOZITIE: SV INC: 12 G ALTITUDINE: 520 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 2 GO 4 FA 4 CA COMP.TEL: 5FA 3 GO 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 7FA 3 GO 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.igiена 2016-T.igiена LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | | | | |
| | | | | | | | | | | | | | | GO | 2 | LT | 110 | 48 | 25 | 3 | M | .6 | RN | N | 0.16 | 73 | 653 | 0.5 | | | | |
| | | | | | | | | | | | | | | FA | 4 | LT | 110 | 52 | 28 | 3 | M | .6 | RN | N | 0.32 | 169 | 1513 | 1.9 | | | | |
| | | | | | | | | | | | | | | CA | 4 | LT | 100 | 34 | 23 | 3 | M | .6 | RN | N | 0.32 | 99 | 886 | 1.2 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | 0.8 | 341 | 3052 | 3.6 | | | | |
| 24 B 3.78 HA GF: 1 - 3I SUP: A TS: 5153 TP: 5111 SOL: 2101 Versant superior ondulat EXPOZITIE: SV INC: 14 G ALTITUDINE: 550 M LITIERA: continua-normala TIP FLORA: Asarum-Stellaria Natural fundamental prod. sup. relativ-echien COMP.ACTUALA: 9 GO 1 FA COMP.TEL: 8GO 1 FA 1 DT SORT: GOL Gros,si mijlociu,cherestea VARSTA EXPL.: 110 ani FA F.gros,cher. sup.,derulaj SEM.UTIL: 8GO 2 FA 5 ani 0.6S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-T.progresive(insamintare) 2012-T.igiена LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | | | | |
| | | | | | | | | | | | | | | GO | 9 | LT | 115 | 44 | 25 | 2 | | .6 | RN | N | 0.45 | 232 | 877 | 1.6 | | | | |
| | | | | | | | | | | | | | | FA | 1 | LT | 115 | 40 | 26 | 2 | M | .6 | RN | N | 0.05 | 30 | 113 | 0.3 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 115 | | | | | | | | 0.5 | 262 | 990 | 1.9 | | | | |
| 24 C 5.96 HA GF: 1 - 3I SUP: A TS: 5153 TP: 5211 SOL: 2101 Versant mijlociu ondulat EXPOZITIE: SV INC: 23 G ALTITUDINE: 540 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-plurien COMP.ACTUALA: 7 FA 3 GO COMP.TEL: 6FA 3 GO 1 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 110 ani FA F.gros,cher. sup.,derulaj SEM.UTIL: 8FA 2 GO 5 ani 0.3S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-T.produse accidentale 2016-T.igiена LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | | | | |
| | | | | | | | | | | | | | | FA | 1 | LT | 130 | 52 | 30 | 2 | M | .6 | RN | N | 0.08 | 48 | 286 | 0.4 | | | | |
| | | | | | | | | | | | | | | FA | 6 | LT | 110 | 34 | 29 | 2 | | .6 | RN | N | 0.48 | 269 | 1603 | 3.3 | | | | |
| | | | | | | | | | | | | | | GO | 3 | LT | 110 | 38 | 27 | 2 | M | .6 | RN | N | 0.24 | 124 | 739 | 0.9 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | 0.8 | 441 | 2628 | 4.6 | | | | |
| 24 D 3.95 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5314 SOL: 2201 Platou plan EXPOZITIE: INC: ALTITUDINE: 480 - 540 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 2 GO 2 FA 6 CA COMP.TEL: 5GO 3 FA 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.1S mixt SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Arboret slab incendiat Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-T.produse accidentale 2014-T.igiена LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | | | | |
| | | | | | | | | | | | | | | GO | 2 | IN | 120 | 44 | 26 | 3 | M | .6 | RN | N | 0.16 | 79 | 312 | 0.6 | | | | |
| | | | | | | | | | | | | | | FA | 2 | LT | 120 | 48 | 28 | 3 | M | .6 | RN | N | 0.16 | 85 | 336 | 0.8 | | | | |
| | | | | | | | | | | | | | | CA | 4 | LT | 120 | 40 | 25 | 3 | M | .6 | RN | N | 0.32 | 111 | 438 | 1.0 | | | | |
| | | | | | | | | | | | | | | CA | 2 | LT | 90 | 28 | 22 | 3 | M | .5 | RN | N | 0.16 | 46 | 182 | 0.7 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 120 | | | | | | | | 0.8 | 321 | 1268 | 3.1 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|----|-----|----|----|---|---|----|-------|----|------|-----------|-------|-------|-------|-------|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | | MC/HA | | |
| 25 D 12.69 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: SV INC: 20 G ALTITUDINE: 490 - 560 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 8 FA 1 GO 1 CA COMP.TEL: 6FA 3 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 9FA 1 DT 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 2 | IN | 140 | 50 | 29 | 3 | M | .6 | RN | N | 0.16 | 69 | 876 | 0.5 | | | | |
| | | | | | | | | | | | | | | FA | 6 | LT | 110 | 32 | 27 | 3 | | .6 | RN | N | 0.48 | 199 | 2525 | 2.8 | | | | |
| | | | | | | | | | | | | | | GO | 1 | LT | 110 | 38 | 25 | 2 | G | .6 | RN | N | 0.08 | 42 | 533 | 0.3 | | | | |
| | | | | | | | | | | | | | | CA | 1 | LT | 80 | 26 | 19 | 3 | G | .6 | RN | N | 0.08 | 40 | 508 | 0.4 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | | 0.8 | 350 | 4442 | 4.0 | | | |
| 25 E 6.21 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5314 SOL: 2101 Versant mijlociu ondulat EXPOZITIE: SV INC: 15 G ALTITUDINE: 450 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-plurien COMP.ACTUALA: 2 GO 2 FA 6 CA COMP.TEL: 5FA 3 GO 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: 8FA 2 DT 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. Uscare slaba POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | GO | 2 | IN | 140 | 54 | 26 | 3 | M | .6 | RN | N | 0.14 | 59 | 366 | 0.4 | | | | |
| | | | | | | | | | | | | | | FA | 2 | LT | 120 | 44 | 27 | 3 | M | .6 | RN | N | 0.14 | 62 | 385 | 0.7 | | | | |
| | | | | | | | | | | | | | | CA | 6 | LT | 90 | 34 | 23 | 3 | | .6 | RN | N | 0.42 | 153 | 950 | 1.9 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 120 | | | | | | | | | | 0.7 | 274 | 1701 | 3.0 | | |
| 25 F 4.70 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: SV INC: 20 G ALTITUDINE: 450 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 7FA 3 GO SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2015-T.progresive(racordare)jimpad | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 10 | IN | 5 | | 1 | 3 | | | RN | N | 0.70 | 2 | 9 | 0.8 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 5 | | | | | | | | | | 0.7 | 2 | 9 | 0.8 | | |
| 26 A 37.69 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: SV INC: 25 G ALTITUDINE: 450 - 580 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 7 FA 2 GO 1 CA COMP.TEL: 6FA 3 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: 9FA 1 DT 5 ani 0.1S mixt SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 2 | IN | 140 | 48 | 29 | 3 | M | .6 | RN | N | 0.16 | 90 | 3392 | 0.5 | | | | |
| | | | | | | | | | | | | | | FA | 5 | LT | 110 | 34 | 27 | 3 | | .6 | RN | N | 0.40 | 199 | 7500 | 2.3 | | | | |
| | | | | | | | | | | | | | | GO | 2 | LT | 110 | 38 | 24 | 3 | M | .6 | RN | N | 0.16 | 68 | 2563 | 0.5 | | | | |
| | | | | | | | | | | | | | | CA | 1 | LT | 70 | 24 | 20 | 3 | G | .5 | RN | N | 0.08 | 20 | 754 | 0.5 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | | | | | | | | 0.8 | 377 | 14209 | 3.8 | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | |
|---|---|----|-----|----|----|---|---|----|-------|----|------|-------|-------|------|-----------|----|-----|------|---|---|-----|----|--------|----|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | CONS | MC/HA | MC/UA | | MC/HA | | | | | | | | | | | | |
| 26 B 0.22 HA GF: 1 - 3I SUP: A TS: 5142 TP: 5221 SOL: 2212 Versant superior ondulat EXPOZITIE: SV INC: 15 G ALTITUDINE: 570 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. sup. relativ-echien COMP.ACTUALA: 8 GO 2 FA COMP.TEL: 8GO 2 FA SORT: GOL Gros,si mijlociu,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: 6FA 4 GO 5 ani 0.3S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | |
| GO | 8 | LT | 100 | 36 | 23 | 2 | | .6 | RN | N | 0.64 | 252 | 55 | 2.4 | | | | | | | | | | | | | |
| FA | 2 | LT | 100 | 36 | 26 | 3 | M | .6 | RN | N | 0.16 | 75 | 17 | 1.1 | | | | | | | | | | | | | |
| TOTAL | | | 100 | | | 2 | | | | | 0.8 | 327 | 72 | 3.5 | | | | | | | | | | | | | |
| 26 C 4.02 HA GF: 1 - 3I SUP: A TS: 5153 TP: 5111 SOL: 2101 Versant superior ondulat EXPOZITIE: SV INC: 25 G ALTITUDINE: 560 M LITIERA: continua-normala TIP FLORA: Asarum-Stellaria Natural fundamental prod. sup. relativ-echien COMP.ACTUALA: 9 GO 1 FA COMP.TEL: 7GO 2 FA 1 DT SORT: GOL Gros,si mijlociu,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: 6FA 4 GO 5 ani 0.1S mixt SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | |
| GO | 9 | LT | 110 | 40 | 25 | 2 | | .6 | RN | N | 0.72 | 328 | 1319 | 2.7 | | | | | | | | | | | | | |
| FA | 1 | LT | 110 | 38 | 27 | 3 | G | .6 | RN | N | 0.08 | 40 | 161 | 0.5 | | | | | | | | | | | | | |
| TOTAL | | | 110 | | | 2 | | | | | 0.8 | 368 | 1480 | 3.2 | | | | | | | | | | | | | |
| 26 D 1.55 HA GF: 1 - 3I SUP: A TS: 5142 TP: 5221 SOL: 2212 Versant superior plan EXPOZITIE: S INC: 10 G ALTITUDINE: 500 - 560 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. echien COMP.ACTUALA: 6 GO 3 FR 1 DT COMP.TEL: 6GO 3 FR 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2014-T.rase(neurmate de impad) 2014-Impaduriri(dupa T.de reg) LUCRARI PROP.: COMPLETARI INGRIJIREA CULTURILOR | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | |
| GO | 6 | P | 5 | | 1 | 3 | | | NEC | N | 0.36 | 1 | 2 | 0.7 | | | | | | | | | | | | | |
| FR | 3 | P | 5 | | 1 | 3 | G | | NEC | N | 0.18 | | | 0.5 | | | | | | | | | | | | | |
| DT | 1 | P | 5 | | | 3 | G | | NEC | N | 0.06 | | | 0.1 | | | | | | | | | | | | | |
| TOTAL | | | 5 | | | 3 | | | | | 0.6 | 1 | 2 | 1.3 | | | | | | | | | | | | | |
| 26 E 3.86 HA GF: 1 - 3I SUP: A TS: 5142 TP: 5221 SOL: 2212 Versant superior plan EXPOZITIE: S INC: 9 G ALTITUDINE: 580 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 5 FA 4 GO 1 CA COMP.TEL: 6GO 3 FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | | | |
| FA | 5 | LT | 110 | 38 | 26 | 3 | | .6 | RN | N | 0.40 | 187 | 722 | 2.3 | | | | | | | | | | | | | |
| GO | 4 | LT | 110 | 36 | 23 | 3 | M | .6 | RN | N | 0.32 | 126 | 486 | 1.0 | | | | | | | | | | | | | |
| CA | 1 | LT | 80 | 28 | 19 | 4 | M | .6 | RN | S | 0.08 | 19 | 73 | 0.4 | | | | | | | | | | | | | |
| TOTAL | | | 110 | | | 3 | | | | | 0.8 | 332 | 1281 | 3.7 | | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|--|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|--|---------------|---------------|------|---------------|--|--|------|
| ELM ARB | P R P | M R E | VAR R E S T A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | | MC/ H A | | | |
| | | | | | | | | | | | 26 F 1.42 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: V INC: 15 G ALTITUDINE: 560 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 8 GO 2 FA COMP.TEL: 6GO 3 FA 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: 8FA 2 GO 5 ani 0.25 mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | |
| GO | 8 | LT | 110 | 36 | 23 | 3 | | .6 | RN | N | 0.56 | 243 | 345 | 1.7 | | | | |
| FA | 2 | LT | 110 | 36 | 26 | 3 | M | .6 | RN | N | 0.14 | 62 | 88 | 0.8 | | | | |
| TOTAL | | | 110 | | | | | 3 | | | 0.7 | 305 | 433 | 2.5 | | | | |
| 26 G 1.34 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant inferior ondulat EXPOZITIE: NV INC: 25 G ALTITUDINE: 460 M LITIERA: lipsa TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 7 GO 2 FR 1 FA COMP.TEL: 7GO 2 FA 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2014-T.rase(neurmate de impad) | | | | | | | | | | | | | | | | | | |
| GO | 7 | P | 4 | | | 3 | | | NEC | N | 0.49 | | | 0.7 | | | | |
| FR | 2 | P | 5 | | | 3 | M | | NEC | N | 0.14 | | | 0.4 | | | | |
| FA | 1 | IN | 5 | | | 3 | G | | RN | N | 0.07 | | | 0.1 | | | | |
| TOTAL | | | 5 | | | | | 3 | | | 0.7 | | | 1.2 | | | | |
| 27 25.49 HA GF: 1 - 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant framintat EXPOZITIE: N INC: 25 G ALTITUDINE: 450 - 560 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 7FA 2 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | |
| FA | 3 | IN | 130 | 56 | 30 | 3 | M | .7 | RN | N | 0.24 | 143 | 3645 | 1.0 | | | | |
| FA | 6 | LT | 110 | 36 | 27 | 3 | | | RN | N | 0.48 | 239 | 6092 | 2.8 | | | | |
| GO | 1 | LT | 110 | 34 | 23 | 3 | M | .6 | RN | N | 0.08 | 32 | 816 | 0.2 | | | | |
| TOTAL | | | 110 | | | | | 3 | | | 0.8 | 414 | 10553 | 4.0 | | | | |
| 28 28.06 HA GF: 1 - 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant framintat EXPOZITIE: N INC: 25 G ALTITUDINE: 420 - 550 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 9FA 1 GO SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| FA | 2 | IN | 140 | 54 | 30 | 3 | G | .6 | RN | N | 0.16 | 95 | 2666 | 0.5 | | | | |
| FA | 7 | LT | 90 | 34 | 27 | 3 | | .6 | RN | N | 0.56 | 279 | 7829 | 4.4 | | | | |
| GO | 1 | LT | 90 | 36 | 24 | 2 | G | .6 | RN | N | 0.08 | 34 | 954 | 0.4 | | | | |
| TOTAL | | | 90 | | | | | 3 | | | 0.8 | 408 | 11449 | 5.3 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|----------------------------|-------------------------------------|------------------------|------|---|-------|---------------|---------------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | E L A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | | 29 A 4.96 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant superior ondulat EXPOZITIE: N INC: 25 G ALTITUDINE: 380 - 460 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 DT COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | |
| FA | 7 | IN | 100 | 38 | 26 | 3 | | | .6 | RN | N | 0.56 | 262 | 1300 | 3.8 | | | |
| DT | 1 | IN | 100 | 30 | 21 | 4 | G | | .8 | RN | N | 0.08 | 22 | 109 | 0.3 | | | |
| FA | 2 | LT | 70 | 28 | 23 | 3 | M | | .5 | RN | N | 0.16 | 61 | 303 | 1.5 | | | |
| TOTAL | | | | 100 | | | | | 3 | | | 0.8 | 345 | 1712 | 5.6 | | | |
| 29 B 5.02 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant superior ondulat EXPOZITIE: N INC: 27 G ALTITUDINE: 400 - 470 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 4 FA 3 CA 3 PAM COMP.TEL: 7GO 2 FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: So.n /0.2 PE 0.2S mixt DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-T.progresive(insamintare) | | | | | | | | | | | | | | | | | | |
| FA | 4 | IN | 105 | 42 | 25 | 3 | G | | .6 | RN | N | 0.16 | 73 | 366 | 1.0 | | | |
| CA | 3 | LT | 100 | 32 | 25 | 3 | G | | .6 | RN | N | 0.12 | 49 | 246 | 0.5 | | | |
| PAM | 3 | IN | 100 | 36 | 25 | 3 | G | | .6 | RN | N | 0.12 | 51 | 256 | 0.2 | | | |
| TOTAL | | | | 105 | | | | | 3 | | | 0.4 | 173 | 868 | 1.7 | | | |
| 29 C 40.74 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 5231 SOL: 2201 Versant framintat EXPOZITIE: N INC: 25 G ALTITUDINE: 370 - 550 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 7 FA 2 GO 1 CA COMP.TEL: 7FA 2 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | |
| FA | 7 | LT | 95 | 34 | 26 | 3 | | | .6 | RN | N | 0.56 | 262 | 10674 | 4.1 | | | |
| GO | 2 | LT | 95 | 36 | 23 | 3 | M | | .6 | RN | N | 0.16 | 63 | 2567 | 0.5 | | | |
| CA | 1 | IN | 80 | 30 | 21 | 4 | G | | .6 | RN | S | 0.08 | 22 | 896 | 0.4 | | | |
| TOTAL | | | | 95 | | | | | 3 | | | 0.8 | 347 | 14137 | 5.0 | | | |
| 30 A 22.00 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 25 G ALTITUDINE: 360 - 490 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 8 FA 2 CA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | |
| FA | 5 | IN | 100 | 40 | 26 | 3 | | | .6 | RN | N | 0.40 | 187 | 4114 | 2.7 | | | |
| CA | 2 | LT | 90 | 28 | 21 | 4 | M | | .6 | RN | S | 0.16 | 43 | 946 | 0.7 | | | |
| FA | 3 | LT | 60 | 26 | 22 | 3 | I | | .4 | RN | N | 0.24 | 86 | 1892 | 2.4 | | | |
| TOTAL | | | | 100 | | | | | 3 | | | 0.8 | 316 | 6952 | 5.8 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | | | |
|---|---|----|-----|----|----|---|-----|----|--------|----|----|----|------|------|-----------|-------|-------|------|----|---|-----|----|--------|----|----|----|------|-----------|--|--|------|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| 30 B 3.12 HA GF: 1 - 4B 3I SUP: A TS: 5131 TP: 5151 SOL: 2304 Versant superior ondulat EXPOZITIE: N INC: 15 G ALTITUDINE: 470 M LITIERA: continua-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 9 GO 1 CA COMP.TEL: 9GO 1 DT SORT: GOL Mijl.,constructii,cherestea VARSTA EXPL.: 100 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | | | |
| GO | 9 | LT | 90 | 34 | 17 | 4 | | .5 | RN | S | | | 0.72 | 168 | 524 | 2.1 | | | | | | | | | | | | | | | |
| CA | 1 | LT | 90 | 26 | 16 | 5 | G | .5 | RN | S | | | 0.08 | 15 | 47 | 0.3 | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | 0.8 | 183 | 571 | 2.4 | | | | | | | | | | | | | | |
| 30 C 2.64 HA GF: 1 - 4B 3I SUP: TS: 5232 TP: 5231 SOL: 2301 Versant superior ondulat EXPOZITIE: N INC: 25 G ALTITUDINE: 380 M LITIERA: continua-groasa TIP FLORA: Festuca altissima COMP.ACTUALA: COMP.TEL: 7GO 1 FA 2 DT SORT: GOL Mijl.,constructii,cherestea VARSTA EXPL.: GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2017-T.rase(neurmate de impad) LUCRARI PROP.: IMPADURIRI(dupa T. de reg) INGRIJIREA CULTURILOR | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 D 3.35 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: N INC: 22 G ALTITUDINE: 380 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 FA 1 DT COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | DENS | V O L U M | | | CRES |
| ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | CONS | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| FA | 6 | LT | 100 | 40 | 26 | 3 | | .6 | RN | N | | | 0.48 | 225 | 754 | 3.3 | | | | | | | | | | | | | | | |
| FA | 3 | LT | 60 | 26 | 21 | 3 | M | .5 | RN | N | | | 0.24 | 80 | 268 | 2.4 | | | | | | | | | | | | | | | |
| DT | 1 | LT | 60 | 28 | 20 | 3 | G | .5 | RN | N | | | 0.08 | 20 | 67 | 0.6 | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | 0.8 | 325 | 1089 | 6.3 | | | | | | | | | | | | | | |
| 33 A 23.80 HA GF: 1 - 2H 3I SUP: M TS: 5242 TP: 5212 SOL: 2201 Versant ondulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 420 - 520 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 4 FA 5 GO 1 CA COMP.TEL: 5FA 4 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: GOL Mijlociu si gros,cherestea SEM.UTIL: 8FA 2 DT 5 ani 0.1S mixt SUBARBORET: Alun Pad. So.n /0.2 PE 0.3S mixt DATE COMPL.: Alunecare mijlocie Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | DENS | V O L U M | | | CRES |
| ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | CONS | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | | | |
| FA | 3 | IN | 150 | 58 | 27 | 3 | M | .5 | RN | S | | | 0.18 | 90 | 2142 | 0.5 | | | | | | | | | | | | | | | |
| GO | 3 | IN | 150 | 50 | 24 | 3 | M | .5 | RN | S | | | 0.18 | 77 | 1833 | 0.5 | | | | | | | | | | | | | | | |
| FA | 1 | LT | 110 | 38 | 24 | 3 | M | .5 | RN | N | | | 0.06 | 25 | 595 | 0.3 | | | | | | | | | | | | | | | |
| GO | 2 | LT | 110 | 36 | 22 | 3 | M | .5 | RN | N | | | 0.12 | 44 | 1047 | 0.4 | | | | | | | | | | | | | | | |
| CA | 1 | LT | 110 | 38 | 20 | 5 | M | .5 | RN | S | | | 0.06 | 15 | 357 | 0.1 | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | 0.6 | 251 | 5974 | 1.8 | | | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|---|---|----|-----|----|----|---|---|----|-------|----|------|-------|-------|-------|-------|--|------|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | ARB | CONS | MC/HA | MC/UA | MC/HA | | |
| 35 A 8.61 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: N INC: 29 G ALTITUDINE: 440 - 610 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 3 LA 2 MO 1 GO 3 FA 1 FR COMP.TEL: 5FA 3 GO 1 DR 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Uscare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| LA | 3 | P | 35 | 22 | 14 | 2 | M | .2 | NEC | N | 0.24 | 48 | 413 | 4.3 | | | |
| MO | 2 | P | 35 | 20 | 13 | 2 | G | .2 | NEC | N | 0.16 | 38 | 327 | 2.8 | | | |
| GO | 1 | IN | 35 | 16 | 11 | 3 | G | .2 | RN | N | 0.08 | 9 | 77 | 0.6 | | | |
| FA | 3 | LT | 35 | 16 | 11 | 3 | M | .2 | RN | N | 0.24 | 30 | 258 | 2.3 | | | |
| FR | 1 | P | 35 | 18 | 11 | 3 | G | .2 | NEC | N | 0.08 | 9 | 77 | 0.8 | | | |
| TOTAL | | | 35 | | | | 3 | | | | 0.8 | 134 | 1152 | 10.8 | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|---|---|----|-----|----|----|---|---|----|-------|----|------|-------|-------|-------|-------|--|------|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | ARB | CONS | MC/HA | MC/UA | MC/HA | | |
| 35 B 23.25 HA GF: 1 - 2A 3I SUP: M TS: 5242 TP: 5212 SOL: 2201 Versant superior framintat EXPOZITIE: NE INC: 36 G ALTITUDINE: 450 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 5 FA 2 GO 2 CA 1 LA COMP.TEL: 5FA 3 GO 1 LA 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| FA | 5 | LT | 35 | 16 | 12 | 3 | | .2 | RN | N | 0.40 | 56 | 1302 | 3.8 | | | |
| GO | 2 | LT | 35 | 14 | 11 | 3 | M | .2 | RN | N | 0.16 | 18 | 419 | 1.3 | | | |
| CA | 2 | LT | 35 | 14 | 11 | 3 | M | .2 | RN | N | 0.16 | 16 | 372 | 1.5 | | | |
| LA | 1 | P | 35 | 18 | 12 | 3 | G | .2 | NEC | N | 0.08 | 12 | 279 | 1.1 | | | |
| TOTAL | | | 35 | | | | 3 | | | | 0.8 | 102 | 2372 | 7.7 | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|---|---|----|-----|----|----|---|---|----|-------|----|------|-------|-------|-------|-------|--|------|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | ARB | CONS | MC/HA | MC/UA | MC/HA | | |
| 35 C 0.77 HA GF: 1 - 2A 3I SUP: M TS: 5242 TP: 5212 SOL: 2201 Versant superior ondulat EXPOZITIE: NE INC: 38 G ALTITUDINE: 490 - 540 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 8 FA 2 GO COMP.TEL: 8FA 2 GO SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| FA | 4 | IN | 130 | 58 | 28 | 3 | M | .6 | RN | N | 0.24 | 127 | 98 | 1.0 | | | |
| GO | 2 | IN | 130 | 42 | 24 | 3 | M | .6 | RN | N | 0.12 | 51 | 39 | 0.4 | | | |
| FA | 4 | IN | 80 | 30 | 23 | 3 | M | .6 | RN | N | 0.24 | 92 | 71 | 2.1 | | | |
| TOTAL | | | 130 | | | | 3 | | | | 0.6 | 270 | 208 | 3.5 | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|--|---|----|-----|----|----|---|---|----|-------|----|------|-------|-------|-------|-------|--|------|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | ARB | CONS | MC/HA | MC/UA | MC/HA | | |
| 36 A 35.41 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant ondulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 370 - 510 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 5 FA 1 GO 1 CI 3 CA COMP.TEL: 5FA 2 GO 1 CI 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| FA | 1 | IN | 120 | 44 | 27 | 3 | G | .6 | RN | N | 0.07 | 35 | 1239 | 0.4 | | | |
| FA | 4 | LT | 90 | 35 | 25 | 3 | M | .6 | RN | N | 0.28 | 123 | 4355 | 2.2 | | | |
| GO | 1 | LT | 90 | 36 | 22 | 3 | G | .6 | RN | N | 0.07 | 26 | 921 | 0.3 | | | |
| CI | 1 | IN | 90 | 32 | 21 | 3 | G | .6 | RN | N | 0.07 | 24 | 850 | 0.1 | | | |
| CA | 3 | LT | 90 | 26 | 21 | 4 | M | .6 | RN | N | 0.21 | 57 | 2018 | 0.9 | | | |
| TOTAL | | | 90 | | | | 3 | | | | 0.7 | 265 | 9383 | 3.9 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|--|-------------|------------------|-------------------|----------|---------|-------------|---------------------------------|------------------------|-----------------|----------------|------|-----------|-----------|-----------|------|--|------|
| ELM ARB | P R P | M R E G | VAR STA ANI | DM CM | HM M | C L P | A M E S T E C | EL A G A J | PROVE NIENTA | VI TA LI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | CONS | MC/ HA | MC/ UA | MC/ HA | | | |
| 41 C 0.94 HA GF: 1 - 3I SUP: A TS: 5233 TP: 5221 SOL: 2212 Versant inferior ondulat EXPOZITIE: N INC: 12 G ALTITUDINE: 430 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. relativ-echien COMP.ACTUALA: 3 GO 2 PAM 3 FR 2 CA COMP.TEL: 5GO 2 PAM 2 FR 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 120 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| GO | 3 | P | 55 | 22 | 15 | 3 | M | .3 | NEC | N | 0.24 | 45 | 42 | 1.8 | | | |
| PAM | 2 | P | 55 | 24 | 15 | 3 | I | .3 | NEC | N | 0.16 | 27 | 25 | 0.5 | | | |
| FR | 3 | P | 55 | 22 | 16 | 3 | I | .3 | NEC | N | 0.24 | 50 | 47 | 2.0 | | | |
| CA | 2 | LT | 55 | 18 | 15 | 4 | M | .3 | RN | S | 0.16 | 26 | 24 | 1.1 | | | |
| TOTAL | | | 55 | | | | 3 | | | | 0.8 | 148 | 138 | 5.4 | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|---|-------------|------------------|-------------------|----------|---------|-------------|---------------------------------|------------------------|-----------------|----------------|------|-----------|-----------|-----------|------|--|------|
| ELM ARB | P R P | M R E G | VAR STA ANI | DM CM | HM M | C L P | A M E S T E C | EL A G A J | PROVE NIENTA | VI TA LI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | CONS | MC/ HA | MC/ UA | MC/ HA | | | |
| 42 A 1.42 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5212 SOL: 3101 Versant superior ondulat EXPOZITIE: N INC: 18 G ALTITUDINE: 460 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 6 FA 3 GO 1 CA COMP.TEL: 6FA 3 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: 9FA 1 DT 5 ani 0,3S mixt SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| FA | 6 | IN | 120 | 44 | 27 | 3 | | .6 | RN | N | 0.48 | 212 | 301 | 2.4 | | | |
| GO | 3 | IN | 120 | 40 | 24 | 3 | M | .6 | RN | N | 0.24 | 108 | 153 | 0.9 | | | |
| CA | 1 | LT | 80 | 28 | 20 | 4 | G | .5 | RN | S | 0.08 | 29 | 41 | 0.4 | | | |
| TOTAL | | | 120 | | | | 3 | | | | 0.8 | 349 | 495 | 3.7 | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|--|-------------|------------------|-------------------|----------|---------|-------------|---------------------------------|------------------------|-----------------|----------------|------|-----------|-----------|-----------|------|--|------|
| ELM ARB | P R P | M R E G | VAR STA ANI | DM CM | HM M | C L P | A M E S T E C | EL A G A J | PROVE NIENTA | VI TA LI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | CONS | MC/ HA | MC/ UA | MC/ HA | | | |
| 42 B 6.67 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5212 SOL: 3101 Versant superior ondulat EXPOZITIE: N INC: 20 G ALTITUDINE: 420 - 520 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 4 PAM 2 GO 1 FA 1 CA 2 TEP COMP.TEL: 4GO 3 PAM 2 FA 1 TEP SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani GOL Mijlociu si gros,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| PAM | 4 | P | 35 | 18 | 13 | 3 | M | .1 | NEC | N | 0.32 | 45 | 300 | 1.5 | | | |
| GO | 2 | P | 35 | 16 | 11 | 3 | M | .1 | NEC | N | 0.16 | 17 | 113 | 1.2 | | | |
| FA | 1 | LT | 35 | 16 | 11 | 3 | M | .1 | RN | N | 0.08 | 10 | 67 | 0.8 | | | |
| CA | 1 | LT | 35 | 14 | 9 | 4 | M | .1 | RN | N | 0.08 | 6 | 40 | 0.6 | | | |
| TEP | 2 | P | 35 | 12 | 9 | 5 | M | .1 | NEC | S | 0.16 | 18 | 120 | 1.0 | | | |
| TOTAL | | | 35 | | | | 3 | | | | 0.8 | 96 | 640 | 5.1 | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | VOLUM | | | CRES |
|--|-------------|------------------|-------------------|----------|---------|-------------|---------------------------------|------------------------|-----------------|----------------|------|-----------|-----------|-----------|------|--|------|
| ELM ARB | P R P | M R E G | VAR STA ANI | DM CM | HM M | C L P | A M E S T E C | EL A G A J | PROVE NIENTA | VI TA LI | DENS | VOLUM | | | CRES | | |
| | | | | | | | | | | | CONS | MC/ HA | MC/ UA | MC/ HA | | | |
| 42 C 11.83 HA GF: 1 - 3I SUP: A TS: 5152 TP: 5314 SOL: 3101 Versant ondulat EXPOZITIE: E INC: 20 G ALTITUDINE: 380 - 520 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 6 FA 3 GO 1 CA COMP.TEL: 6FA 3 GO 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: 8FA 1 GO 1 DT 5 ani 0,2S mixt SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | |
| FA | 1 | LT | 140 | 46 | 27 | 3 | M | .6 | RN | N | 0.08 | 40 | 473 | 0.2 | | | |
| GO | 3 | LT | 110 | 38 | 25 | 3 | M | .6 | RN | N | 0.24 | 109 | 1289 | 0.7 | | | |
| FA | 5 | LT | 110 | 30 | 25 | 3 | | .6 | RN | N | 0.40 | 176 | 2082 | 2.3 | | | |
| CA | 1 | LT | 90 | 28 | 21 | 4 | M | .4 | RN | N | 0.08 | 22 | 260 | 0.3 | | | |
| TOTAL | | | 110 | | | | 3 | | | | 0.8 | 347 | 4104 | 3.5 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | |
|---|---|----|-----|----|----|---|---|----|-------|----|----|----|------|------|-----------|-------|-------|------|---|---|-----|----|--------|----|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | |
| 43 D 4.94 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5212 SOL: 2101 Versant mijlociu ondulat EXPOZITIE: E INC: 20 G ALTITUDINE: 500 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 2 GO 7 FA 1 CA COMP.TEL: 5GO 4 FA 1 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UUTIL: 9FA 1 DT 5 ani 0.1S mixt SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | |
| GO | 2 | IN | 120 | 54 | 24 | 3 | M | .6 | RN | N | | | 0.14 | 63 | 311 | 0.5 | | | | | | | | | | | | | |
| FA | 4 | LT | 120 | 46 | 27 | 3 | M | .6 | RN | N | | | 0.28 | 144 | 711 | 1.4 | | | | | | | | | | | | | |
| FA | 3 | LT | 80 | 34 | 24 | 3 | M | .6 | RN | N | | | 0.21 | 67 | 331 | 1.8 | | | | | | | | | | | | | |
| CA | 1 | LT | 80 | 28 | 18 | 3 | M | .5 | RN | N | | | 0.07 | 37 | 183 | 0.4 | | | | | | | | | | | | | |
| TOTAL | | | 120 | | | | 3 | | | | | | 0.7 | 311 | 1536 | 4.1 | | | | | | | | | | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | |
|---|---|----|-----|----|----|---|---|----|-------|----|----|----|------|------|-----------|-------|-------|------|---|---|-----|----|--------|----|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | |
| 44 A 16.66 HA GF: 1 - 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant ondulat EXPOZITIE: N INC: 25 G ALTITUDINE: 370 - 530 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 8 FA 1 GO 1 DT COMP.TEL: 8FA 1 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | |
| FA | 8 | IN | 90 | 32 | 26 | 3 | | .6 | RN | N | | | 0.64 | 300 | 4998 | 5.1 | | | | | | | | | | | | | |
| GO | 1 | IN | 90 | 38 | 24 | 3 | G | .6 | RN | N | | | 0.08 | 34 | 566 | 0.5 | | | | | | | | | | | | | |
| DT | 1 | IN | 80 | 26 | 21 | 3 | G | .6 | RN | N | | | 0.08 | 22 | 367 | 0.4 | | | | | | | | | | | | | |
| TOTAL | | | 90 | | | | 3 | | | | | | 0.8 | 356 | 5931 | 6.0 | | | | | | | | | | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | |
|--|---|----|-----|----|----|---|---|----|-------|----|----|----|------|------|-----------|-------|-------|------|---|---|-----|----|--------|----|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | |
| 44 B 18.85 HA GF: 1 - 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 360 - 490 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 4 MO 2 LA 2 FR 1 FA 1 CA COMP.TEL: 3MO 2 LA 2 FR 3 FA SORT: FR Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Uscare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | |
| MO | 4 | P | 50 | 26 | 17 | 3 | M | .2 | NEC | N | | | 0.36 | 125 | 2356 | 5.1 | | | | | | | | | | | | | |
| LA | 2 | P | 50 | 28 | 18 | 3 | G | .2 | NEC | N | | | 0.18 | 58 | 1093 | 2.5 | | | | | | | | | | | | | |
| FR | 2 | P | 50 | 22 | 15 | 3 | M | .2 | NEC | N | | | 0.18 | 34 | 641 | 1.6 | | | | | | | | | | | | | |
| FA | 1 | LT | 50 | 18 | 14 | 3 | G | .2 | RN | N | | | 0.09 | 16 | 302 | 0.9 | | | | | | | | | | | | | |
| CA | 1 | LT | 50 | 16 | 13 | 5 | G | .2 | RN | S | | | 0.09 | 12 | 226 | 0.6 | | | | | | | | | | | | | |
| TOTAL | | | 50 | | | | 3 | | | | | | 0.9 | 245 | 4618 | 10.7 | | | | | | | | | | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | |
|--|---|----|-----|----|----|---|---|----|-------|----|----|----|------|------|-----------|-------|-------|------|---|---|-----|----|--------|----|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | CONS | | MC/HA | MC/UA | MC/HA | | | | | | | | | | | | |
| 44 C 1.93 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant superior ondulat EXPOZITIE: E INC: 15 G ALTITUDINE: 470 - 520 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-echien COMP.ACTUALA: 4 CA 3 FA 1 FR 2 GO COMP.TEL: 4FA 3 GO 1 FR 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | LI | | | | | |
| CA | 4 | LT | 35 | 14 | 11 | 4 | M | .2 | RN | S | | | 0.32 | 32 | 62 | 2.4 | | | | | | | | | | | | | |
| FA | 3 | LT | 35 | 14 | 13 | 3 | M | .2 | RN | N | | | 0.24 | 38 | 73 | 2.3 | | | | | | | | | | | | | |
| FR | 1 | P | 35 | 18 | 12 | 3 | G | .2 | NEC | N | | | 0.08 | 11 | 21 | 0.8 | | | | | | | | | | | | | |
| GO | 2 | P | 35 | 14 | 12 | 3 | G | .2 | NEC | N | | | 0.16 | 20 | 39 | 1.2 | | | | | | | | | | | | | |
| TOTAL | | | 35 | | | | 3 | | | | | | 0.8 | 101 | 195 | 6.7 | | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|--|------|-----------|-----------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | | MC/ UA | MC/ HA | | |
| | | | | | | | | | | | | | 44 D 2.71 HA GF: 1 - 3I SUP: A TS: 5242 TP: 5212 SOL: 3101 Versant superior undulat EXPOZITIE: NE INC: 25 G ALTITUDINE: 470 - 520 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 6 FA 3 FR 1 DT COMP.TEL: 6FA 3 FR 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-Rarituri LUCRARI PROP.: T.IGIENA | | | | | |
| FA | 6 | LT | 50 | 22 | 16 | 3 | | | .4 | RN | N | 0.48 | 105 | 285 | 4.9 | | | |
| FR | 3 | P | 50 | 20 | 17 | 3 | M | | .4 | NEC | N | 0.24 | 55 | 149 | 2.1 | | | |
| DT | 1 | LT | 50 | 20 | 16 | 3 | G | | .4 | RN | N | 0.08 | 15 | 41 | 0.6 | | | |
| TOTAL | | | 50 | | | | | 3 | | | | 0.8 | 175 | 475 | 7.6 | | | |
| 44 E 1.43 HA GF: 1 - 3I SUP: A TS: 5233 TP: 5221 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 530 M LITIERA: continua-subtire TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 3 GO 6 FA 1 CA COMP.TEL: 6FA 3 GO 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| GO | 3 | LT | 110 | 42 | 22 | 3 | G | | .6 | RN | N | 0.24 | 88 | 126 | 0.7 | | | |
| FA | 6 | LT | 80 | 40 | 24 | 3 | | | .6 | RN | N | 0.48 | 197 | 282 | 4.2 | | | |
| CA | 1 | LT | 80 | 30 | 20 | 3 | G | | .6 | RN | N | 0.08 | 20 | 29 | 0.4 | | | |
| TOTAL | | | 80 | | | | | 3 | | | | 0.8 | 305 | 437 | 5.3 | | | |
| 45 A 4.26 HA GF: 1 - 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant undulat EXPOZITIE: N INC: 30 G ALTITUDINE: 400 - 520 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 6FA 2 GO 1 TE 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.6S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-T.progresive(insamintare) 2010-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | |
| FA | 9 | IN | 140 | 56 | 28 | 3 | | | .7 | RN | N | 0.45 | 226 | 963 | 1.3 | | | |
| GO | 1 | LT | 120 | 42 | 24 | 3 | G | | .7 | RN | N | 0.05 | 16 | 68 | 0.1 | | | |
| TOTAL | | | 140 | | | | | 3 | | | | 0.5 | 242 | 1031 | 1.4 | | | |
| 45 B 6.39 HA GF: 1 - 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant undulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 350 - 500 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 6FA 2 GO 1 TE 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.5S mixt SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.progresive(punere lumina) 2015-T.progresive(punere lumina) LUCRARI PROP.: T.PROGRESIVE(racordare)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | |
| FA | 9 | IN | 130 | 50 | 27 | 3 | | | .6 | RN | N | 0.36 | 171 | 1093 | 1.4 | | | |
| GO | 1 | IN | 120 | 52 | 25 | 3 | G | | .6 | RN | N | 0.04 | 21 | 134 | 0.2 | | | |
| TOTAL | | | 130 | | | | | 3 | | | | 0.4 | 192 | 1227 | 1.6 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|----|-----|----|----|---|---|----|-------|----|------|-----------|------|-----|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | |
| 45 C 1.83 HA GF: 1 - 3I SUP: A TS: 5142 TP: 5141 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 500 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 6 GO 4 FA COMP.TEL: 7GO 2 FA 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.PROGRESIVE(insamintare) AJUTORAREA REG NATURALE | | | | | | | | | | | | | | GO | 6 | LT | 120 | 46 | 21 | 3 | | .7 | RN | N | 0.42 | 160 | 293 | 1.2 | |
| | | | | | | | | | | | | | | FA | 4 | LT | 120 | 48 | 27 | 3 | G | .7 | RN | N | 0.28 | 126 | 231 | 1.4 | |
| | | | | | | | | | | | | | | TOTAL | | | 120 | | | 3 | | | | | 0.7 | 286 | 524 | 2.6 | |
| 45 D 6.99 HA GF: 1 - 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 350 - 400 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.PROGRESIVE(insamintare) AJUTORAREA REG NATURALE | | | | | | | | | | | | | | FA | 10 | IN | 120 | 48 | 27 | 3 | | .7 | RN | N | 0.70 | 349 | 2440 | 3.5 | |
| | | | | | | | | | | | | | | TOTAL | | | 120 | | | 3 | | | | | 0.7 | 349 | 2440 | 3.5 | |
| 45 E 0.75 HA GF: 1 - 3I SUP: A TS: 5243 TP: 4211 SOL: 2101 Versant mijlociu ondulat EXPOZITIE: NE INC: 25 G ALTITUDINE: 500 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 9FA 1 GO SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: DEGAJARI CURATIRI | | | | | | | | | | | | | | FA | 9 | IN | 10 | 2 | 2 | 2 | | | RN | N | 0.81 | 5 | 4 | 3.5 | |
| | | | | | | | | | | | | | | GO | 1 | IN | 10 | 2 | 2 | 2 | G | | RN | N | 0.09 | 1 | 1 | 0.4 | |
| | | | | | | | | | | | | | | TOTAL | | | 10 | | | 2 | | | | | 0.9 | 6 | 5 | 3.9 | |
| 45 F 6.99 HA GF: 1 - 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 410 - 490 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: DEGAJARI | | | | | | | | | | | | | | FA | 10 | IN | 10 | 2 | 2 | 3 | | | RN | N | 0.80 | 5 | 35 | 1.9 | |
| | | | | | | | | | | | | | | TOTAL | | | 10 | | | 3 | | | | | 0.8 | 5 | 35 | 1.9 | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|--|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|---|---------------|---------------|------|---------------|--|--|------|
| ELM ARB | P R P | M R E | VAR R E S T A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | | MC/ H A | | | |
| | | | | | | | | | | | 46 A 15.51 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant framintat EXPOZITIE: NV INC: 27 G ALTITUDINE: 350 - 500 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.3S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2011-T.progresive(insamintare) | | | | | | | |
| FA | 6 | IN | 130 | 52 | 29 | 3 | | .6 | RN | N | 0.36 | 202 | 3133 | 1.4 | | | | |
| FA | 4 | IN | 90 | 32 | 25 | 3 | G | .6 | RN | N | 0.24 | 105 | 1629 | 1.9 | | | | |
| TOTAL | | | | 130 | | | | 3 | | | 0.6 | 307 | 4762 | 3.3 | | | | |
| 46 B 1.50 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant superior ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 400 - 460 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | |
| FA | 9 | IN | 100 | 38 | 26 | 3 | | .6 | RN | N | 0.63 | 295 | 443 | 4.3 | | | | |
| GO | 1 | LT | 100 | 36 | 23 | 3 | G | .6 | RN | N | 0.07 | 28 | 42 | 0.2 | | | | |
| TOTAL | | | | 100 | | | | 3 | | | 0.7 | 323 | 485 | 4.5 | | | | |
| 46 C 0.39 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5141 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 500 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 GO COMP.TEL: 8GO 2 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | |
| GO | 10 | LT | 120 | 38 | 20 | 3 | | .6 | RN | S | 0.70 | 214 | 83 | 2.0 | | | | |
| TOTAL | | | | 120 | | | | 3 | | | 0.7 | 214 | 83 | 2.0 | | | | |
| 46 D 2.08 HA GF: 1 - 4B 3I SUP: A TS: 5152 TP: 5212 SOL: 2201 Versant mijlociu framintat EXPOZITIE: V INC: 25 G ALTITUDINE: 500 - 560 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 4 GO 6 FA COMP.TEL: 6GO 3 FA 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 6FA 4 GO 5 ani 0.1S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | |
| GO | 4 | LT | 120 | 46 | 23 | 3 | M | .6 | RN | N | 0.32 | 144 | 300 | 0.9 | | | | |
| FA | 6 | LT | 120 | 48 | 27 | 3 | | .6 | RN | N | 0.48 | 210 | 437 | 2.4 | | | | |
| TOTAL | | | | 120 | | | | 3 | | | 0.8 | 354 | 737 | 3.3 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|---|---------------|------|---------------|---------------|-----|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | 46 E 1.96 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2304 Versant superior ondulat EXPOZITIE: V INC: 25 G ALTITUDINE: 500 M LITIERA: intrerupta-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Mijl.,celuloza,constructii VARSTA EXPL.: 100 ani FA Mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | |
| TOTAL | | | | 90 | | | 5 | | | | | | 0.7 | 199 | 390 | 3.6 | | |
| 46 F 2.36 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NV INC: 25 G ALTITUDINE: 370 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 7 FA 2 PI 1 DT COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 9FA 1 DT 10 ani 0.5S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2013-T.progresive(punere lumina) 2014-T.progresive(punere lumina) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | 0.35 | 185 | 437 | 1.4 | |
| FA | 7 | IN | 130 | 46 | 27 | 3 | | .6 | RN | N | 0.35 | 185 | 437 | 1.4 | | | | |
| PI | 2 | P | 110 | 44 | 25 | 3 | G | .6 | NEC | N | 0.10 | 53 | 125 | 0.5 | | | | |
| DT | 1 | IN | 110 | 36 | 24 | 3 | G | .5 | RN | N | 0.05 | 23 | 54 | 0.2 | | | | |
| TOTAL | | | | 130 | | | 3 | | | | | 0.5 | 261 | 616 | 2.1 | | | |
| 46 G 4.13 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant superior ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 460 - 500 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.4S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2013-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE(punere lumina) AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | | | | | | | | 0.36 | 183 | 756 | 1.0 | |
| FA | 6 | IN | 140 | 58 | 28 | 3 | | .6 | RN | N | 0.36 | 183 | 756 | 1.0 | | | | |
| FA | 3 | IN | 110 | 36 | 26 | 3 | M | .6 | RN | N | 0.18 | 85 | 351 | 1.0 | | | | |
| GO | 1 | IN | 110 | 44 | 24 | 3 | G | .6 | RN | N | 0.06 | 19 | 78 | 0.3 | | | | |
| TOTAL | | | | 140 | | | 3 | | | | | 0.6 | 287 | 1185 | 2.3 | | | |
| 46 H 1.64 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2101 Versant inferior ondulat EXPOZITIE: INC: 38 G ALTITUDINE: 400 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | 0.70 | 349 | 572 | 3.5 | |
| FA | 10 | IN | 120 | 44 | 27 | 3 | | .6 | RN | N | 0.70 | 349 | 572 | 3.5 | | | | |
| TOTAL | | | | 120 | | | 3 | | | | | 0.7 | 349 | 572 | 3.5 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|--------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|--|------|---------------|---------------|--|------|
| ELM ARB | P R P | M R P | VAR R E G | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | | 46 I 0.99 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NV INC: 25 G ALTITUDINE: 400 - 460 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 5 SC 3 FA 1 FR 1 CA COMP.TEL: 6FA 2 FR 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CURATIRI | | | | | |
| SC | 5 | LT | 15 | 4 | 6 | 3 | | | | NEC | N | 0.40 | 10 | 10 | 4.1 | | | |
| FA | 3 | IN | 15 | 2 | 2 | 3 | M | | | RN | N | 0.24 | 2 | 2 | 0.9 | | | |
| FR | 1 | P | 15 | 3 | 3 | 3 | M | | | NEC | N | 0.08 | 1 | 1 | 0.6 | | | |
| CA | 1 | LT | 15 | 2 | 2 | 3 | M | | | RN | N | 0.08 | | | 0.6 | | | |
| TOTAL | | | | 15 | | | 3 | | | | | 0.8 | 13 | 13 | 6.2 | | | |
| 47 A 5.51 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant ondulat EXPOZITIE: NV INC: 25 G ALTITUDINE: 390 - 430 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 DT COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | |
| FA | 9 | LT | 100 | 38 | 26 | 3 | | .6 | | RN | N | 0.63 | 295 | 1625 | 4.3 | | | |
| DT | 1 | LT | 80 | 28 | 23 | 3 | G | .5 | | RN | N | 0.07 | 22 | 121 | 0.4 | | | |
| TOTAL | | | | 100 | | | 3 | | | | | 0.7 | 317 | 1746 | 4.7 | | | |
| 47 B 1.11 HA GF: 1 - 4B 3I SUP: A TS: 5221 TP: 4271 SOL: 1313 Versant superior ondulat EXPOZITIE: V INC: 25 G ALTITUDINE: 480 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Mijl. si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| FA | 10 | LT | 70 | 26 | 17 | 4 | | .4 | | RN | S | 0.80 | 193 | 214 | 6.2 | | | |
| TOTAL | | | | 70 | | | 4 | | | | | 0.8 | 193 | 214 | 6.2 | | | |
| 47 C 0.52 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5141 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 500 M LITIERA: continua-normala TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 GO COMP.TEL: 9GO 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.PROGRESIVE IMPAD SUB MASIV INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | |
| GO | 10 | LT | 120 | 42 | 21 | 3 | | .6 | | RN | S | 0.70 | 239 | 124 | 2.0 | | | |
| TOTAL | | | | 120 | | | 3 | | | | | 0.7 | 239 | 124 | 2.0 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|---|---------------|------|---------------|---------------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | 47 D 2.84 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NE INC: 28 G ALTITUDINE: 370 - 420 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 10FA 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | |
| FA | | | | | | | | | | | | | 0.49 | 226 | 642 | 2.5 | | |
| FA | | | | | | | | | | | | | 0.21 | 111 | 315 | 1.7 | | |
| TOTAL | | | | 120 | | | | | | | | | 0.7 | 337 | 957 | 4.2 | | |
| 47 E 1.92 HA GF: 1 - 2H 4B 3I SUP: M TS: 5221 TP: 4271 SOL: 1313 Versant superior ondulat EXPOZITIE: V INC: 32 G ALTITUDINE: 390 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 1 TE 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | |
| FA | | | | | | | | | | | | | 0.70 | 154 | 296 | 5.4 | | |
| TOTAL | | | | 70 | | | | | | | | | 0.7 | 154 | 296 | 5.4 | | |
| 47 F 0.48 HA GF: 1 - 2A 4B 3I SUP: M TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NE INC: 36 G ALTITUDINE: 390 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | |
| FA | | | | | | | | | | | | | 0.70 | 328 | 157 | 4.1 | | |
| TOTAL | | | | 110 | | | | | | | | | 0.7 | 328 | 157 | 4.1 | | |
| 47 G 5.18 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 370 - 520 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 6 FA 4 GO COMP.TEL: 6FA 2 GO 1 TE 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 9FA 1 DT 10 ani 0.7S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2011-T.progresive(insamintare) | | | | | | | | | | | | | | | | | | |
| FA | | | | | | | | | | | | | 0.12 | 49 | 254 | 0.6 | | |
| GO | | | | | | | | | | | | | 0.08 | 38 | 197 | 0.3 | | |
| TOTAL | | | | 120 | | | | | | | | | 0.2 | 87 | 451 | 0.9 | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|---|---------------|------|---------------|---------------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | 47 H 0.55 HA GF: 1 - 2H 3I SUP: M TS: 5222 TP: 4272 SOL: 1313 Versant superior ondulat EXPOZITIE: NE INC: 30 G ALTITUDINE: 450 - 475 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | |
| SC | 10 | LD | 15 | 8 | 7 | 3 | | | | NEC | N | 0.80 | 26 | 14 | 8.2 | | | |
| TOTAL | | | 15 | | | 3 | | | | | | 0.8 | 26 | 14 | 8.2 | | | |
| 47 I 1.64 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant inferior ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 390 - 450 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CURATIRI | | | | | | | | | | | | | | | | | | |
| FA | 10 | IN | 15 | 4 | 4 | 3 | | | | RN | N | 0.90 | 19 | 31 | 3.2 | | | |
| TOTAL | | | 15 | | | 3 | | | | | | 0.9 | 19 | 31 | 3.2 | | | |
| 47 J 4.81 HA GF: 1 - 4B 3I SUP: A TS: 5222 TP: 4272 SOL: 1313 Versant superior ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 420 - 520 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 1 TE 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: 10FA 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | |
| FA | 6 | IN | 120 | 50 | 27 | 3 | | .6 | | RN | N | 0.42 | 209 | 1005 | 2.1 | | | |
| FA | 4 | LT | 80 | 32 | 24 | 3 | I | .6 | | RN | N | 0.28 | 115 | 553 | 2.4 | | | |
| TOTAL | | | 120 | | | 3 | | | | | | 0.7 | 324 | 1558 | 4.5 | | | |
| 48 A 3.09 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant inferior ondulat EXPOZITIE: V INC: 25 G ALTITUDINE: 370 - 460 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | | | | | |
| FA | 2 | IN | 140 | 54 | 29 | 3 | I | .7 | | RN | N | 0.16 | 90 | 278 | 0.5 | | | |
| FA | 8 | LT | 100 | 38 | 26 | 3 | | .6 | | RN | N | 0.64 | 300 | 927 | 4.4 | | | |
| TOTAL | | | 100 | | | 3 | | | | | | 0.8 | 390 | 1205 | 4.9 | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|---|----|-----|----|----|---|-----|----|--------|----|------|-----------|-----|-----|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | |
| | | | | | | | | | | | | | | ARB | P | GE | ANI | CM | M | P | TEC | AJ | NIENTA | LI | CONS | HA | UA | HA | |
| 48 B 2.58 HA GF: 1 - 2A 4B 3I SUP: M TS: 5132 TP: 5131 SOL: 2301 Versant mijlociu ondulat EXPOZITIE: V INC: 34 G ALTITUDINE: 380 - 440 M LITIERA: continua-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. relativ-echien COMP.ACTUALA: 9 PI 1 ST COMP.TEL: 7GO 1 ST 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: Capr Ln.c /0.1 PE 0.2S grupe DATE COMPL.: Uscare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | PI | 9 | P | 100 | 44 | 22 | 3 | | .7 | NEC | N | 0.63 | 268 | 691 | 3.2 | |
| | | | | | | | | | | | | | | ST | 1 | P | 80 | 32 | 20 | 3 | M | .6 | NEC | N | 0.07 | 22 | 57 | 0.6 | |
| | | | | | | | | | | | | | | TOTAL | | | 100 | | | | | | | | 0.7 | 290 | 748 | 3.8 | |
| 48 C 2.68 HA GF: 1 - 4B 3I SUP: A TS: 5121 TP: 5412 SOL: 1313 Versant superior ondulat EXPOZITIE: V INC: 15 G ALTITUDINE: 460 M LITIERA: continua-subtire TIP FLORA: Brachyp-Geum-Pulmon. Artificial de prod. inf. relativ-echien COMP.ACTUALA: 3 ST 7 GO COMP.TEL: 7GO 3 ST SORT: GOS Mijl.,constructii,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: Ln.c Pad. /0.1 PE 0.2S intim DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ST | 3 | P | 100 | 38 | 22 | 4 | I | .5 | NEC | S | 0.21 | 78 | 209 | 1.1 | |
| | | | | | | | | | | | | | | GO | 7 | P | 100 | 36 | 20 | 4 | | .5 | NEC | S | 0.49 | 153 | 410 | 2.0 | |
| | | | | | | | | | | | | | | TOTAL | | | 100 | | | | | | | | 0.7 | 231 | 619 | 3.1 | |
| 48 D 1.75 HA GF: 1 - 4B 3I SUP: A TS: 5132 TP: 5231 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: V INC: 25 G ALTITUDINE: 400 - 470 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | FA | 3 | IN | 140 | 56 | 30 | 3 | M | .6 | RN | N | 0.24 | 143 | 250 | 0.7 | |
| | | | | | | | | | | | | | | FA | 7 | LT | 100 | 36 | 27 | 3 | | .6 | RN | N | 0.56 | 279 | 488 | 3.8 | |
| | | | | | | | | | | | | | | TOTAL | | | 100 | | | | | | | | 0.8 | 422 | 738 | 4.5 | |
| 48 E 1.64 HA GF: 1 - 4B 3I SUP: A TS: 5132 TP: 5131 SOL: 2301 Versant mijlociu ondulat EXPOZITIE: V INC: 28 G ALTITUDINE: 400 - 480 M LITIERA: continua-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. relativ-plurien COMP.ACTUALA: 4 PI 4 GO 2 CA COMP.TEL: 4GO 4 PI 2 DT SORT: GOS Gros si mijlociu,cherestea VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Uscare slaba Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | PI | 4 | P | 100 | 38 | 23 | 3 | M | .6 | NEC | N | 0.28 | 128 | 210 | 1.4 | |
| | | | | | | | | | | | | | | GO | 4 | P | 100 | 38 | 22 | 3 | M | .6 | NEC | N | 0.28 | 103 | 169 | 1.5 | |
| | | | | | | | | | | | | | | CA | 2 | LT | 60 | 24 | 18 | 4 | G | .5 | RN | S | 0.14 | 30 | 49 | 0.9 | |
| | | | | | | | | | | | | | | TOTAL | | | 100 | | | | | | | | 0.7 | 261 | 428 | 3.8 | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|---------------|---------------|---------------|-----------|--|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 48 F 20.70 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5212 SOL: 2101 Versant ondulat EXPOZITIE: N INC: 25 G ALTITUDINE: 390 - 420 M LITIERA: continua-normala TIP FLORA: Asperula-Asarum Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 6FA 3 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: 9FA 1 DT 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | |
| FA | 2 | IN | 140 | 58 | 28 | 3 | M | .7 | RN | N | | 0.16 | 85 | 1760 | 0.5 | | | | |
| GO | 1 | IN | 120 | 46 | 24 | 3 | M | .7 | RN | N | | 0.08 | 34 | 704 | 0.3 | | | | |
| FA | 4 | IN | 120 | 42 | 27 | 3 | M | .6 | RN | N | | 0.32 | 160 | 3312 | 1.6 | | | | |
| FA | 3 | IN | 70 | 28 | 24 | 3 | M | .6 | RN | N | | 0.24 | 99 | 2049 | 2.3 | | | | |
| TOTAL | | | | 120 | | | | 3 | | | | 0.8 | 378 | 7825 | 4.7 | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | | V O L U M | | | CRES |
|--|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|---------------|---------------|---------------|-----------|--|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 49 A 6.47 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: E INC: 27 G ALTITUDINE: 390 - 470 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: 10FA 5 ani 0.2S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | |
| FA | 7 | IN | 120 | 46 | 28 | 3 | | .6 | RN | N | | 0.56 | 296 | 1915 | 2.8 | | | | |
| FA | 3 | LT | 80 | 30 | 24 | 3 | I | .6 | RN | N | | 0.24 | 99 | 641 | 2.1 | | | | |
| TOTAL | | | | 120 | | | | 3 | | | | 0.8 | 395 | 2556 | 4.9 | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|---------------|---------------|---------------|-----------|--|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 49 B 2.73 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2304 Versant mijlociu ondulat EXPOZITIE: E INC: 28 G ALTITUDINE: 400 - 470 M LITIERA: continua-subtire TIP FLORA: Luzula albida Artificial de prod. inf. relativ-echien COMP.ACTUALA: 4 GO 6 ST COMP.TEL: 6ST 4 GO SORT: STS Mijl.,constructii,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | |
| GO | 4 | P | 80 | 30 | 17 | 4 | M | .4 | NEC | S | | 0.28 | 66 | 180 | 1.4 | | | | |
| ST | 6 | P | 80 | 30 | 20 | 4 | | .4 | NEC | S | | 0.42 | 132 | 360 | 3.0 | | | | |
| TOTAL | | | | 80 | | | | 4 | | | | 0.7 | 198 | 540 | 4.4 | | | | |

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|---------------|---------------|---------------|-----------|--|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | MC/ U A | MC/ H A | | | | |
| | | | | | | | | | | | | | | | | | | | |
| 49 C 12.10 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant mijlociu framintat EXPOZITIE: E INC: 25 G ALTITUDINE: 390 - 480 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 FA 1 CA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UUTIL: 9FA 1 DT 5 ani 0.3S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | |
| FA | 5 | IN | 120 | 48 | 29 | 3 | | .7 | RN | N | | 0.40 | 183 | 2214 | 2.0 | | | | |
| FA | 4 | IN | 90 | 32 | 27 | 3 | M | .7 | RN | N | | 0.32 | 161 | 1948 | 2.5 | | | | |
| CA | 1 | LT | 80 | 28 | 16 | 4 | G | .7 | RN | S | | 0.08 | 32 | 387 | 0.4 | | | | |
| TOTAL | | | | 120 | | | | 3 | | | | 0.8 | 376 | 4549 | 4.9 | | | | |

LUCRARI PROP.: T.PROGRESIVE(insam,p lum)
AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|---|----|-----|----|----|---|---|----|-------|----|------|-----------|------|------|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | |
| 49 D 1.06 HA GF: 1 - 2H 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant mijlociu ondulat EXPOZITIE: E INC: 28 G ALTITUDINE: 390 - 470 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 3 PI 4 FA 3 GO COMP.TEL: 4FA 3 GO 3 PI SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Uscare slaba Rupturi izolate Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | PI | 3 | P | 100 | 44 | 24 | 3 | M | .5 | NEC | N | 0.21 | 103 | 109 | 1.1 | |
| | | | | | | | | | | | | | | FA | 4 | IN | 80 | 34 | 23 | 3 | M | .5 | RN | N | 0.28 | 108 | 114 | 2.4 | |
| | | | | | | | | | | | | | | GO | 3 | IN | 80 | 32 | 20 | 3 | M | .5 | RN | N | 0.21 | 65 | 69 | 1.3 | |
| | | | | | | | | | | | | | | TOTAL | | | 80 | | | | | | | | 0.7 | 276 | 292 | 4.8 | |
| 49 E 1.00 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2304 Versant superior ondulat EXPOZITIE: NE INC: 25 G ALTITUDINE: 470 M LITIERA: continua-subtire TIP FLORA: Luzula albida Artificial de prod. inf. relativ-echien COMP.ACTUALA: 6 ST 4 GO COMP.TEL: 6ST 4 GO SORT: STS Mijl. si subtire,constructii VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progresive decII) | | | | | | | | | | | | | | ST | 6 | P | 100 | 36 | 20 | 5 | | .3 | NEC | S | 0.42 | 132 | 132 | 1.7 | |
| | | | | | | | | | | | | | | GO | 4 | P | 100 | 38 | 20 | 5 | M | .3 | NEC | S | 0.28 | 87 | 87 | 0.9 | |
| | | | | | | | | | | | | | | TOTAL | | | 100 | | | | | | | | | 0.7 | 219 | 219 | 2.6 |
| 49 F 8.42 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2301 Versant superior ondulat EXPOZITIE: N INC: 20 G ALTITUDINE: 400 - 480 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 FA 1 GO COMP.TEL: 7FA 2 GO 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: 9FA 1 DT 5 ani 0.5S mixt SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2011-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE(p lum.,rac)IMPAD AJUTORAREA REG NATURALE INGRIJIREA SEMINTISULUI | | | | | | | | | | | | | | FA | 2 | IN | 140 | 58 | 29 | 3 | M | .7 | RN | N | 0.12 | 70 | 589 | 0.3 | |
| | | | | | | | | | | | | | | FA | 7 | IN | 120 | 44 | 28 | 3 | | .7 | RN | N | 0.42 | 218 | 1836 | 2.1 | |
| | | | | | | | | | | | | | | GO | 1 | IN | 120 | 46 | 25 | 3 | G | .6 | RN | N | 0.06 | 25 | 211 | 0.2 | |
| | | | | | | | | | | | | | | TOTAL | | | 120 | | | | | | | | | 0.6 | 313 | 2636 | 2.6 |
| 49 G 0.44 HA GF: 1 - 4B 3I SUP: A TS: 5243 TP: 4211 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: E INC: 15 G ALTITUDINE: 390 - 470 M LITIERA: intrerupta-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. sup. relativ-echien COMP.ACTUALA: 7 FA 3 SC COMP.TEL: 8FA 2 DT SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: 120 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CURATIRI | | | | | | | | | | | | | | FA | 7 | IN | 15 | 2 | 3 | 2 | | | RN | N | 0.56 | 7 | 3 | 3.6 | |
| | | | | | | | | | | | | | | SC | 3 | LT | 15 | 4 | 6 | 3 | G | | NEC | N | 0.24 | 6 | 3 | 2.4 | |
| | | | | | | | | | | | | | | TOTAL | | | 15 | | | | | | | | | 0.8 | 13 | 6 | 6.0 |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|---|-------------|-------------|-------------------------|--------------------|--------------|---------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|---|---------------|------|---------------|---------------|--|------|
| ELM ARB | P R P | M R E | VAR R E G E | STA A N I | DM C M | HM M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ H A | | MC/ U A | MC/ H A | | |
| | | | | | | | | | | | | 49 H 0.70 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant framintat EXPOZITIE: E INC: 38 G ALTITUDINE: 380 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | |
| SC | 10 | LD | 10 | | 2 | 4 | 3 | | | NEC | N | 0.70 | 9 | 6 | 7.0 | | | |
| TOTAL | | | 10 | | | | 3 | | | | | 0.7 | 9 | 6 | 7.0 | | | |
| 49 I 0.34 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant framintat EXPOZITIE: E INC: 36 G ALTITUDINE: 390 - 470 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| SC | 10 | LD | 15 | | 4 | 7 | 3 | | | NEC | N | 0.70 | 22 | 7 | 7.1 | | | |
| TOTAL | | | 15 | | | | 3 | | | | | 0.7 | 22 | 7 | 7.1 | | | |
| 49N 0.38 HA GF: SUP: TS: TP: SOL: Ravena framintat EXPOZITIE: INC: 40 G ALTITUDINE: 400 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare slaba Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | |
| 50 A 14.57 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant inferior framintat EXPOZITIE: NE INC: 40 G ALTITUDINE: 340 - 470 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| FA | 1 | IN | 140 | 50 | 27 | 3 | M | .6 | RN | S | 0.07 | 35 | 510 | 0.2 | | | | |
| FA | 5 | IN | 100 | 34 | 26 | 3 | | .6 | RN | N | 0.35 | 164 | 2389 | 2.4 | | | | |
| FA | 4 | LT | 60 | 24 | 21 | 3 | M | .5 | RN | N | 0.28 | 93 | 1355 | 2.8 | | | | |
| TOTAL | | | 100 | | | | 3 | | | | 0.7 | 292 | 4254 | 5.4 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|----|-----|----|----|---|---|----|-------|----|------|-----------|------|------|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | |
| 50 B 3.40 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant inferior ondulat EXPOZITIE: N INC: 35 G ALTITUDINE: 350 - 460 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA F.gros,cher. sup.,derulaj VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | FA | 10 | LT | 80 | 32 | 23 | 3 | | .6 | RN | N | 0.80 | 307 | 1044 | 7.0 | |
| | | | | | | | | | | | | | | TOTAL | | | 80 | | | 3 | | | | | 0.8 | 307 | 1044 | 7.0 | |
| 50 C 8.54 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant superior framintat EXPOZITIE: NE INC: 20 G ALTITUDINE: 400 - 470 M LITIERA: continua-normala TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 9 FA 1 CA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA(T.progressive decII) | | | | | | | | | | | | | | FA | 3 | IN | 140 | 58 | 27 | 3 | M | .6 | RN | S | 0.21 | 105 | 897 | 0.6 | |
| | | | | | | | | | | | | | | FA | 3 | IN | 110 | 38 | 26 | 3 | M | .6 | RN | N | 0.21 | 98 | 837 | 1.2 | |
| | | | | | | | | | | | | | | FA | 3 | LT | 70 | 26 | 20 | 3 | M | .6 | RN | N | 0.21 | 65 | 555 | 2.0 | |
| | | | | | | | | | | | | | | CA | 1 | LT | 70 | 26 | 21 | 3 | M | .6 | RN | N | 0.07 | 19 | 162 | 0.4 | |
| | | | | | | | | | | | | | | TOTAL | | | 110 | | | 3 | | | | | | 0.7 | 287 | 2451 | 4.2 |
| 51 1.67 HA GF: 1 - 2A 4B 3I SUP: M TS: 5231 TP: 4241 SOL: 2304 Ravena framintat EXPOZITIE: NE INC: 40 G ALTITUDINE: 380 - 460 M LITIERA: intrerupta-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | FA | 6 | LT | 140 | 56 | 23 | 4 | | .4 | RN | S | 0.42 | 161 | 269 | 1.0 | |
| | | | | | | | | | | | | | | FA | 4 | LT | 90 | 32 | 19 | 4 | M | .4 | RN | S | 0.28 | 80 | 134 | 1.8 | |
| | | | | | | | | | | | | | | TOTAL | | | 140 | | | 4 | | | | | | 0.7 | 241 | 403 | 2.8 |
| 52 A 19.49 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant framintat EXPOZITIE: NE INC: 40 G ALTITUDINE: 340 - 460 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | FA | 3 | IN | 130 | 54 | 27 | 3 | M | .6 | RN | N | 0.24 | 120 | 2339 | 1.0 | |
| | | | | | | | | | | | | | | FA | 7 | IN | 90 | 30 | 24 | 3 | | .6 | RN | N | 0.56 | 230 | 4483 | 4.4 | |
| | | | | | | | | | | | | | | TOTAL | | | 90 | | | 3 | | | | | | 0.8 | 350 | 6822 | 5.4 |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|--|----|----|-----|----|----|---|-----|----|--------|------|------|-----|-----|------|-----------|--|--|------|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | CONS | MC/ | MC/ | | MC/ | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TALI | | HA | UA | HA | | | | |
| 52 B 4.92 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant ondulat EXPOZITIE: INC: 35 G ALTITUDINE: 330 - 460 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 5 SC 5 FA COMP.TEL: 9SC 1 FA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-Taieri de conservare LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| SC | 5 | LT | 5 | | | 3 | M | | NEC | N | 0.35 | | | 2.5 | | | | |
| FA | 5 | LT | 5 | | | 3 | M | | RN | N | 0.35 | | | 0.4 | | | | |
| TOTAL | | | | 5 | | | | 3 | | | 0.7 | | | 2.9 | | | | |
| 52 C 1.43 HA GF: 1 - 2A 4B 3I SUP: M TS: 5231 TP: 4241 SOL: 2304 Versant superior ondulat EXPOZITIE: NV INC: 35 G ALTITUDINE: 390 - 450 M LITIERA: continua-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 7 FA 3 CA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| FA | 7 | LT | 90 | 34 | 21 | 4 | | .6 | RN | S | 0.56 | 186 | 266 | 3.6 | | | | |
| CA | 3 | LT | 60 | 24 | 18 | 4 | M | .6 | RN | S | 0.24 | 52 | 74 | 1.5 | | | | |
| TOTAL | | | | 90 | | | | 4 | | | 0.8 | 238 | 340 | 5.1 | | | | |
| 52 D 2.74 HA GF: 1 - 4B 3I SUP: Q TS: 5232 TP: 4281 SOL: 2301 Versant superior ondulat EXPOZITIE: NV INC: 25 G ALTITUDINE: 400 - 440 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-Cring-taieri de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| SC | 10 | LT | 2 | | | 1 | 3 | | NEC | N | 0.70 | 1 | 3 | 2.0 | | | | |
| TOTAL | | | | 2 | | | | 3 | | | 0.7 | 1 | 3 | 2.0 | | | | |
| 52 E 4.90 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant inferior ondulat EXPOZITIE: N INC: 36 G ALTITUDINE: 330 - 420 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 4 ANN 5 FA 1 CA COMP.TEL: 5FA 4 ANN 1 DT SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | |
| ANN | 4 | LT | 60 | 30 | 15 | 4 | PC | .4 | RN | S | 0.28 | 65 | 319 | 0.6 | | | | |
| FA | 5 | LT | 90 | 37 | 21 | 3 | | .5 | RN | N | 0.35 | 116 | 568 | 2.8 | | | | |
| CA | 1 | LT | 90 | 22 | 15 | 4 | G | .4 | RN | S | 0.07 | 12 | 59 | 0.3 | | | | |
| TOTAL | | | | 90 | | | | 3 | | | 0.7 | 193 | 946 | 3.7 | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | | | |
|--|---|---|-----|----|----|---|---|----|-------|----|----|----|------|-----------|-------|-------|------|-------|---|-----|----|--------|----|----|------|-----|-----|-----|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | TA | LI | | CONS | MC/HA | MC/UA | | MC/HA | | | | | | | | | | |
| 52 F 0.83 HA GF: 1 - 4B 3I SUP: Q TS: 5232 TP: 4281 SOL: 2301 Versant superior ondulat EXPOZITIE: NV INC: 20 G ALTITUDINE: 460 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | LI | 0.70 | 1 | 1 | 2.0 |
| TOTAL | | | | | | | | | | | | | 0.7 | 1 | 1 | 2.0 | | | | | | | | | | | | |
| 52 G 2.02 HA GF: 1 - 4B 3I SUP: Q TS: 5232 TP: 4281 SOL: 2301 Versant superior ondulat EXPOZITIE: NE INC: 30 G ALTITUDINE: 450 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: CRING-TAIERE DE JOS AJUTORAREA REG NATURALE | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | LI | 0.70 | 112 | 226 | 4.8 |
| TOTAL | | | | | | | | | | | | | 0.7 | 112 | 226 | 4.8 | | | | | | | | | | | | |
| 52 H 2.56 HA GF: 1 - 4B 3I SUP: Q TS: 5232 TP: 4281 SOL: 2301 Versant superior ondulat EXPOZITIE: SE INC: 15 G ALTITUDINE: 440 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2013-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | LI | 0.80 | 10 | 26 | 4.5 |
| TOTAL | | | | | | | | | | | | | 0.8 | 10 | 26 | 4.5 | | | | | | | | | | | | |
| 52 I 2.63 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant superior framintat EXPOZITIE: SE INC: 35 G ALTITUDINE: 440 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 10 FA COMP.TEL: 10FA SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | ARB | P | RE | STA | CM | M | L | MES | AG | NIENTA | TA | LI | 0.80 | 352 | 926 | 6.3 |
| TOTAL | | | | | | | | | | | | | 0.8 | 352 | 926 | 6.3 | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|--|---------|---------------|--------------------------|-----|----|----|-----|----|----|---|-----|----|--------|----|------|-----------|-----|-----|------|
| | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | |
| | | | | | P | GE | ANI | | | P | TEC | AJ | LI | | HA | UA | HA | | |
| 52 J | 0.59 HA | GF: 1 - 4B 3I | SUP: Q TS: 5232 TP: 4281 | | | | | | | | | | | | | | | | |
| SOL: 2301 Platou plan EXPOZITIE: | | | | | | | | | | | | | | | | | | | |
| INC: ALTITUDINE: 440 M | | | | | | | | | | | | | | | | | | | |
| LITIERA: intrerupta-subtire Artificial de prod. mij. TIP FLORA: Festuca altissima relativ-echien | | | | | | | | | | | | | | | | | | | |
| COMP.ACTUALA: 10 SC | | | | SC | 10 | LT | 2 | | 1 | 3 | | | NEC | N | 0.70 | 1 | 1 | 2.0 | |
| COMP.TEL: 10SC | | | | | | | | | | | | | | | | | | | |
| SORT: SCL VARSTA EXPL.: 25 ani | | | | | | | | | | | | | | | | | | | |
| FA Gros si mijl.,cherestea | | | | | | | | | | | | | | | | | | | |
| SEM.UUTIL: | | | | | | | | | | | | | | | | | | | |
| SUBARBORET: | | | | | | | | | | | | | | | | | | | |
| DATE COMPL.: Alte date complement. | | | | | | | | | | | | | | | | | | | |
| POL: comp.sulf+metale ERZ: | | | | | | | | | | | | | | | | | | | |
| LUCRARI EXEC.: 2016-Cring-taiere de jos | | | | | | | | | | | | | | | | | | | |
| LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | 2 | | | 3 | | | | | 0.7 | 1 | 1 | 2.0 | |
| DESCRIEREA STATIUNII SI ARBORETULUI | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
| | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | |
| | | | | | P | GE | ANI | | | P | TEC | AJ | LI | | HA | UA | HA | | |
| 52A | 0.56 HA | GF: | SUP: TS: TP: | | | | | | | | | | | | | | | | |
| SOL: Platou plan EXPOZITIE: | | | | | | | | | | | | | | | | | | | |
| INC: ALTITUDINE: 340 M | | | | | | | | | | | | | | | | | | | |
| LITIERA: continua-groasa TIP FLORA: | | | | | | | | | | | | | | | | | | | |
| COMP.ACTUALA: | | | | | | | | | | | | | | | | | | | |
| COMP.TEL: | | | | | | | | | | | | | | | | | | | |
| SORT: SCL VARSTA EXPL.: | | | | | | | | | | | | | | | | | | | |
| FA Gros si mijl.,cherestea | | | | | | | | | | | | | | | | | | | |
| SEM.UUTIL: | | | | | | | | | | | | | | | | | | | |
| SUBARBORET: | | | | | | | | | | | | | | | | | | | |
| DATE COMPL.: Alte date complement. | | | | | | | | | | | | | | | | | | | |
| POL: | | | | | | | | | | | | | | | | | | | |
| LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | |
| LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | |
| DESCRIEREA STATIUNII SI ARBORETULUI | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
| | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | |
| | | | | | P | GE | ANI | | | P | TEC | AJ | LI | | HA | UA | HA | | |
| 52V | 1.00 HA | GF: | SUP: TS: TP: | | | | | | | | | | | | | | | | |
| SOL: Platou plan EXPOZITIE: | | | | | | | | | | | | | | | | | | | |
| INC: ALTITUDINE: 340 M | | | | | | | | | | | | | | | | | | | |
| LITIERA: continua-groasa TIP FLORA: | | | | | | | | | | | | | | | | | | | |
| COMP.ACTUALA: | | | | | | | | | | | | | | | | | | | |
| COMP.TEL: | | | | | | | | | | | | | | | | | | | |
| SORT: SCL VARSTA EXPL.: | | | | | | | | | | | | | | | | | | | |
| FA Gros si mijl.,cherestea | | | | | | | | | | | | | | | | | | | |
| SEM.UUTIL: | | | | | | | | | | | | | | | | | | | |
| SUBARBORET: | | | | | | | | | | | | | | | | | | | |
| DATE COMPL.: Alte date complement. | | | | | | | | | | | | | | | | | | | |
| POL: | | | | | | | | | | | | | | | | | | | |
| LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | |
| LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | |
| DESCRIEREA STATIUNII SI ARBORETULUI | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
| | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | |
| | | | | | P | GE | ANI | | | P | TEC | AJ | LI | | HA | UA | HA | | |
| 53 A | 3.74 HA | GF: 1 - 4B 3I | SUP: Q TS: 5232 TP: 4281 | | | | | | | | | | | | | | | | |
| SOL: 2301 Versant superior ondulat EXPOZITIE: NV | | | | | | | | | | | | | | | | | | | |
| INC: 25 G ALTITUDINE: 350 - 400 M | | | | | | | | | | | | | | | | | | | |
| LITIERA: intrerupta-subtire Artificial de prod. mij. TIP FLORA: Asperula-Asarum relativ-echien | | | | | | | | | | | | | | | | | | | |
| COMP.ACTUALA: 10 SC | | | | SC | 10 | LT | 4 | 4 | 6 | 3 | | | NEC | N | 0.80 | 21 | 79 | 4.5 | |
| COMP.TEL: 10SC | | | | | | | | | | | | | | | | | | | |
| SORT: SCL VARSTA EXPL.: 25 ani | | | | | | | | | | | | | | | | | | | |
| FA Gros si mijl.,cherestea | | | | | | | | | | | | | | | | | | | |
| SEM.UUTIL: | | | | | | | | | | | | | | | | | | | |
| SUBARBORET: | | | | | | | | | | | | | | | | | | | |
| DATE COMPL.: Alte date complement. | | | | | | | | | | | | | | | | | | | |
| POL: comp.sulf+metale ERZ: | | | | | | | | | | | | | | | | | | | |
| LUCRARI EXEC.: 2013-Cring-taiere de jos | | | | | | | | | | | | | | | | | | | |
| LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | 4 | | | 3 | | | | | 0.8 | 21 | 79 | 4.5 | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|----|-----|----|----|---|---|----|-------|-----|------|-----------|-----|-----|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | |
| 53 B 1.13 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2301 Versant mijlociu ondulat EXPOZITIE: NV INC: 33 G ALTITUDINE: 350 - 420 M LITIERA: intrerupta-subtire TIP FLORA: Festuca altissima Artificial de prod. mij. relativ-echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: SCL VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | SC | 10 | P | 90 | 36 | 23 | 3 | | .6 | NEC | N | 0.80 | 215 | 243 | 7.7 | |
| LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE IMPADURIRI(dupa T. de reg) | | | | | | | | | | | | | | TOTAL | | 90 | | | | | | | | 0.8 | 215 | 243 | 7.7 | | |
| 54 A 6.97 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2304 Versant inferior ondulat EXPOZITIE: E INC: 28 G ALTITUDINE: 370 - 450 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Natural fundamental prod. inf. relativ-plurien COMP.ACTUALA: 8 FA 1 SC 1 CA COMP.TEL: 8FA 2 DT SORT: FA Mijl. si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | FA | 2 | LT | 130 | 54 | 25 | 4 | I | .6 | RN | S | 0.16 | 70 | 488 | 0.5 | |
| | | | | | | | | | | | | | | FA | 1 | LT | 100 | 38 | 23 | 4 | I | .6 | RN | S | 0.08 | 31 | 216 | 0.4 | |
| | | | | | | | | | | | | | | FA | 5 | LT | 70 | 26 | 19 | 4 | | .4 | RN | S | 0.40 | 114 | 795 | 3.1 | |
| | | | | | | | | | | | | | | SC | 1 | P | 60 | 38 | 26 | 4 | G | .3 | NEC | S | 0.08 | 28 | 195 | 0.6 | |
| | | | | | | | | | | | | | | CA | 1 | LT | 60 | 24 | 17 | 4 | G | .4 | RN | S | 0.08 | 16 | 112 | 0.5 | |
| LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | TOTAL | | 70 | | | | | | | | 0.8 | 259 | 1806 | 5.1 | | |
| 54 B 7.56 HA GF: 1 - 4B 3I SUP: Q TS: 5142 TP: 5141 SOL: 2212 Versant superior ondulat EXPOZITIE: E INC: 20 G ALTITUDINE: 380 - 430 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Natural fundamental prod. mij. echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: FA Mijl. si gros,cherestea VARSTA EXPL.: 25 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2014-Cring-taiere de jos 2016-Cring-taiere de jos LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | SC | 10 | LT | 4 | 4 | 6 | 3 | | | NEC | N | 0.90 | 23 | 174 | 5.0 | |
| LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | TOTAL | | 4 | | | | | | | | 0.9 | 23 | 174 | 5.0 | | |
| 54 C 1.11 HA GF: 1 - 4B 3I SUP: A TS: 5232 TP: 4281 SOL: 2201 Versant mijlociu ondulat EXPOZITIE: NE INC: 20 G ALTITUDINE: 400 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 FA 1 CA COMP.TEL: 9FA 1 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | FA | 9 | LT | 50 | 24 | 15 | 3 | | .4 | RN | N | 0.72 | 143 | 159 | 7.3 | |
| | | | | | | | | | | | | | | CA | 1 | LT | 50 | 20 | 14 | 3 | G | .4 | RN | N | 0.08 | 12 | 13 | 0.6 | |
| LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | TOTAL | | 50 | | | | | | | | 0.8 | 155 | 172 | 7.9 | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|---|----|-----|----|----|---|---|----|-------|----|------|-----------|-------|-------|------|-------|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | | CONS | MC/HA | MC/UA | | MC/HA | | |
| 54 D 1.93 HA GF: 1 - 2A 4B 3I SUP: M TS: 5232 TP: 4281 SOL: 2201 Versant inferior ondulat EXPOZITIE: E INC: 36 G ALTITUDINE: 340 M LITIERA: continua-subtire TIP FLORA: Festuca altissima Natural fundamental prod. mij. relativ-plurien COMP.ACTUALA: 10 FA COMP.TEL: 8FA 2 DT SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 8 | LT | 140 | 56 | 25 | 3 | | .6 | RN | N | 0.48 | 211 | 407 | 1.4 | | | | |
| | | | | | | | | | | | | | | FA | 2 | LT | 80 | 30 | 22 | 3 | G | .5 | RN | N | 0.12 | 43 | 83 | 1.0 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 140 | | | | | | | | | 0.6 | 254 | 490 | 2.4 | | | |
| 54 E 9.34 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2304 Versant mijlociu ondulat EXPOZITIE: E INC: 26 G ALTITUDINE: 450 M LITIERA: continua-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 5 FA 2 CA 2 FR 1 SC COMP.TEL: 6FA 2 FR 2 DT SORT: FA Mijl. si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Rupturi izolate Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2013-Rarituri | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 5 | LT | 65 | 22 | 17 | 4 | | .5 | RN | S | 0.40 | 96 | 897 | 3.2 | | | | |
| | | | | | | | | | | | | | | CA | 2 | LT | 65 | 20 | 16 | 4 | M | .5 | RN | S | 0.16 | 29 | 271 | 0.9 | | | | |
| | | | | | | | | | | | | | | FR | 2 | P | 65 | 20 | 17 | 4 | M | .4 | NEC | S | 0.16 | 37 | 346 | 0.9 | | | | |
| | | | | | | | | | | | | | | SC | 1 | LT | 60 | 26 | 16 | 4 | G | .4 | NEC | S | 0.08 | 10 | 93 | 0.4 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 60 | | | | | | | | | | 0.8 | 172 | 1607 | 5.4 | | |
| 54 F 3.51 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2304 Platou plan EXPOZITIE: INC: ALTITUDINE: 450 M LITIERA: intrerupta-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 5 FA 2 FR 3 CA COMP.TEL: 6FA 2 FR 2 DT SORT: FA Mijl. si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 5 | LT | 60 | 24 | 19 | 4 | | .4 | RN | S | 0.35 | 100 | 351 | 2.9 | | | | |
| | | | | | | | | | | | | | | FR | 2 | P | 60 | 24 | 18 | 4 | M | .4 | NEC | S | 0.14 | 36 | 126 | 0.9 | | | | |
| | | | | | | | | | | | | | | CA | 3 | LT | 60 | 20 | 17 | 4 | M | .4 | RN | S | 0.21 | 42 | 147 | 1.3 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 60 | | | | | | | | | | 0.7 | 178 | 624 | 5.1 | | |
| 54 G 0.69 HA GF: 1 - 4B 3I SUP: A TS: 5231 TP: 4241 SOL: 2301 Platou plan EXPOZITIE: INC: ALTITUDINE: 450 M LITIERA: intrerupta-subtire TIP FLORA: Luzula albida Natural fundamental prod. inf. relativ-echien COMP.ACTUALA: 6 FA 2 CA 2 GO COMP.TEL: 6FA 2 GO 2 DT SORT: FA Mijl. si gros,cherestea VARSTA EXPL.: 100 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 20% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | ARB | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | FA | 6 | LT | 60 | 24 | 16 | 4 | | .3 | RN | S | 0.42 | 92 | 63 | 3.4 | | | | |
| | | | | | | | | | | | | | | CA | 2 | LT | 60 | 18 | 16 | 4 | M | .3 | RN | S | 0.14 | 25 | 17 | 0.9 | | | | |
| | | | | | | | | | | | | | | GO | 2 | LT | 60 | 22 | 15 | 4 | M | .3 | RN | S | 0.14 | 26 | 18 | 0.7 | | | | |
| | | | | | | | | | | | | | | TOTAL | | | 60 | | | | | | | | | | 0.7 | 143 | 98 | 5.0 | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|-----|-----|----|----|---|----|----|-------|------|------|-----------|------|-----|------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | ARB | RE | STA | |
| 56 B 11.48 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5141 SOL: 2212 Platou plan EXPOZITIE: INC: ALTITUDINE: 430 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Natural fundamental prod. mij. relativ-echien COMP.ACTUALA: 9 GO 1 FA COMP.TEL: 7GO 1 STR 2 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Arboret slab incendiat Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2012-T.progresive(insamintare) 2015-T.progresive(insamintare) LUCRARI PROP.: T.PROGRESIVE IMPAD SUB MASIV AJUTORAREA REG NATURALE INGRIJIREA CULTURILOR | | | | | | | | | | | | | | 9 | LT | 115 | 46 | 24 | 3 | | .6 | RN | N | 0.45 | 164 | 1883 | 1.3 | | |
| | | | | | | | | | | | | | | 1 | LT | 120 | 48 | 27 | 3 | G | .6 | RN | N | 0.05 | 11 | 126 | 0.3 | | |
| | | | | | | | | | | | | | | TOTAL | | | 115 | | | 3 | | | | | 0.5 | 175 | 2009 | 1.6 | |
| 57 A 5.89 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 0201 Versant superior undulat EXPOZITIE: NE INC: 26 G ALTITUDINE: 390 - 470 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-plurien COMP.ACTUALA: 4 GO 3 CA 2 FA 1 TE COMP.TEL: 5GO 2 FA 1 TE 2 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | 4 | LT | 90 | 32 | 22 | 3 | M | .5 | RN | N | 0.32 | 117 | 689 | 1.2 | | |
| | | | | | | | | | | | | | | 3 | LT | 90 | 26 | 20 | 4 | M | .5 | RN | S | 0.24 | 61 | 359 | 1.0 | | |
| | | | | | | | | | | | | | | 2 | LT | 90 | 36 | 24 | 3 | M | .6 | RN | N | 0.16 | 66 | 389 | 1.3 | | |
| | | | | | | | | | | | | | | 1 | LT | 90 | 38 | 23 | 3 | M | .6 | RN | N | 0.08 | 31 | 183 | 0.5 | | |
| | | | | | | | | | | | | | | TOTAL | | | 90 | | | 3 | | | | | 0.8 | 275 | 1620 | 4.0 | |
| 57 B 1.47 HA GF: 1 - 4B 3I SUP: A TS: 5242 TP: 5314 SOL: 2201 Versant inferior undulat EXPOZITIE: NE INC: 17 G ALTITUDINE: 470 M LITIERA: continua-subtire TIP FLORA: Asperula-Asarum Partial derivat relativ-plurien COMP.ACTUALA: 4 FA 3 CA 3 GO COMP.TEL: 4FA 3 GO 3 CA SORT: FA Gros si mijl.,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: 10% tulpini nesanat. Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | 2 | IN | 130 | 52 | 26 | 3 | I | .6 | RN | N | 0.14 | 66 | 97 | 0.6 | | |
| | | | | | | | | | | | | | | 1 | LT | 120 | 34 | 21 | 5 | M | .5 | RN | S | 0.07 | 19 | 28 | 0.2 | | |
| | | | | | | | | | | | | | | 2 | LT | 90 | 26 | 20 | 4 | I | .5 | RN | S | 0.14 | 35 | 51 | 0.6 | | |
| | | | | | | | | | | | | | | 3 | LT | 90 | 32 | 22 | 3 | M | .5 | RN | N | 0.21 | 77 | 113 | 0.8 | | |
| | | | | | | | | | | | | | | 2 | LT | 90 | 36 | 24 | 3 | I | .5 | RN | N | 0.14 | 58 | 85 | 1.1 | | |
| | | | | | | | | | | | | | | TOTAL | | | 90 | | | 3 | | | | | 0.7 | 255 | 374 | 3.3 | |
| 57 C 1.15 HA GF: 1 - 4B 3I SUP: A TS: 5142 TP: 5323 SOL: 2212 Versant superior undulat EXPOZITIE: E INC: 16 G ALTITUDINE: 470 M LITIERA: continua-subtire TIP FLORA: Carex-pilosa Partial derivat relativ-echien COMP.ACTUALA: 7 GO 3 CA COMP.TEL: 8GO 2 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: 110 ani FA Gros si mijl.,cherestea SEM.UTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2016-T.igiena LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | 7 | LT | 80 | 32 | 22 | 3 | | .5 | RN | N | 0.49 | 179 | 206 | 2.3 | | |
| | | | | | | | | | | | | | | 3 | LT | 80 | 24 | 20 | 5 | M | .5 | RN | S | 0.21 | 53 | 61 | 0.9 | | |
| | | | | | | | | | | | | | | TOTAL | | | 80 | | | 3 | | | | | 0.7 | 232 | 267 | 3.2 | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|-----|----|----|-----|----|----|---|-----|----|--------|----|------|-----------|------|-----|------|----|----|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | HA | | | | | | | | | | | |
| | | | | | | | | | | | P | GE | ANI | | | P | TEC | AJ | | LI | | HA | UA | HA | | | | | | | | | | | | |
| 61D 2.10 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 460 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 62D 1.26 HA GF: SUP: TS: TP: SOL: Platou plan EXPOZITIE: INC: ALTITUDINE: 370 - 510 M LITIERA: continua-groasa TIP FLORA: COMP.ACTUALA: COMP.TEL: SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: ERZ: LUCRARI EXEC.: LUCRARI PROP.: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 63 A 1.39 HA GF: 1 - 2E 3I SUP: M TS: 5142 TP: 5121 SOL: 2212 Platou plan EXPOZITIE: INC: 15 G ALTITUDINE: 290 - 300 M LITIERA: intrerupta-subtire TIP FLORA: Carex pilosa Artificial de prod. mij. echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2010-Impaduriri(dupa T.de reg) LUCRARI PROP.: T.IGIENA | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | | | | | | | | |
| | | | | | | | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | HA | UA | HA | | | | | | | | | |
| | | | | | | | | | | SC | 10 | P | 10 | 10 | 7 | 3 | | | NEC | N | 0.90 | 30 | 42 | 9.0 | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | 10 | | | 3 | | | | | 0.9 | 30 | 42 | 9.0 | | | | | | | | | | | | |
| 63 B 14.20 HA GF: 1 - 2H 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant inferior framintat EXPOZITIE: SV INC: 25 G ALTITUDINE: 300 - 440 M LITIERA: continua-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. relativ-echien COMP.ACTUALA: 9 SC 1 DT COMP.TEL: 9SC 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: LUCRARI PROP.: TAIERI DE CONSERVARE AJUTORAREA REG NATURALE | | | | | | | | | | ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | DENS | V O L U M | | | CRES | | | | | | | | | | | |
| | | | | | | | | | | ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TA | CONS | MC/ | MC/ | MC/ | HA | UA | HA | | | | | | | | | |
| | | | | | | | | | | SC | 9 | LT | 50 | 28 | 27 | 3 | | .6 | NEC | N | 0.63 | 215 | 3053 | 4.0 | | | | | | | | | | | | |
| | | | | | | | | | | DT | 1 | IN | 50 | 30 | 17 | 3 | G | .6 | RN | N | 0.07 | 14 | 199 | 0.6 | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | 50 | | | 3 | | | | | 0.7 | 229 | 3252 | 4.6 | | | | | | | | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES | | | | | | | | | |
|---|----|----|-----|----|----|---|-----|----|--------|------|------|-----|-----|------|-----------|--|--|------|-----|----|-----|-----|--|--|--|--|--|
| ELM | P | M | VAR | DM | HM | C | A | EL | PROVE | VI | CONS | MC/ | MC/ | | MC/ | | | | | | | | | | | | |
| ARB | R | RE | STA | CM | M | L | MES | AG | NIENTA | TALI | | HA | UA | HA | | | | | | | | | | | | | |
| 63 C 12.50 HA GF: 1 - 2E 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant mijlociu ondulat EXPOZITIE: E INC: 20 G ALTITUDINE: 370 - 440 M LITIERA: intrerupta-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. echien COMP.ACTUALA: 7 GO 3 PAM COMP.TEL: 8GO 2 PAM SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-Impaduriri(dupa T.de reg) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GO | 7 | P | 10 | | | 1 | 3 | | NEC | N | 0.49 | 1 | 13 | 1.8 | | | | | | | | | | | | | |
| PAM | 3 | P | 10 | | | 1 | 3 | M | NEC | N | 0.21 | 1 | 13 | 0.3 | | | | | | | | | | | | | |
| LUCRARI PROP.: COMPLETARI | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| INGRIJIREA CULTURILOR | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | 0.7 | 2 | 26 | 2.1 | | | | | |
| 63 D 29.19 HA GF: 1 - 2E 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant mijlociu ondulat EXPOZITIE: E INC: 18 G ALTITUDINE: 310 - 370 M LITIERA: intrerupta-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. echien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: POL: comp.sulf+metale ERZ: LUCRARI EXEC.: 2009-Impaduriri(dupa T.de reg) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 10 | P | 10 | 10 | 7 | 3 | | | NEC | N | 0.90 | 30 | 876 | 9.0 | | | | | | | | | | | | | |
| LUCRARI PROP.: T.IGIENA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | 0.9 | 30 | 876 | 9.0 | | | | | |
| 63 E 1.82 HA GF: 1 - 2H 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant inferior framintat EXPOZITIE: E INC: 25 G ALTITUDINE: 300 - 330 M LITIERA: intrerupta-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. relativ-plurien COMP.ACTUALA: 10 SC COMP.TEL: 9SC 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 9 | LT | 60 | 28 | 16 | 3 | | .5 | NEC | N | 0.63 | 82 | 149 | 3.6 | | | | | | | | | | | | | |
| SC | 1 | LT | 10 | 8 | 6 | 3 | M | | NEC | N | 0.07 | 2 | 4 | 0.7 | | | | | | | | | | | | | |
| LUCRARI PROP.: TAIERI DE CONSERVARE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | 0.7 | 84 | 153 | 4.3 | | | | | |
| 63 F 1.93 HA GF: 1 - 2H 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant inferior framintat EXPOZITIE: E INC: 25 G ALTITUDINE: 300 - 370 M LITIERA: intrerupta-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. relativ-plurien COMP.ACTUALA: 10 SC COMP.TEL: 10SC SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SC | 9 | LT | 50 | 30 | 16 | 3 | | .4 | NEC | N | 0.63 | 82 | 158 | 4.0 | | | | | | | | | | | | | |
| SC | 1 | LT | 10 | 8 | 6 | 3 | M | | NEC | N | 0.07 | 2 | 4 | 0.7 | | | | | | | | | | | | | |
| LUCRARI PROP.: TAIERI DE CONSERVARE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AJUTORAREA REG NATURALE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL | | | | | | | | | | | | | | | | | | | 0.7 | 84 | 162 | 4.7 | | | | | |

DESCRIERE PARCELARA

DS: Sibiu

OS: Medias

UP: 8

| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
|-------------------------------------|-------------|------------------|-------------------------|-----------------------------|--------------|-------------|---------------------------------|------------------------|-------------------------------------|------------------------|------|---|-----------|------|-----------|--|--|------|
| ELM ARB | P R P | M R E P | VAR R E G E | DM S T A N I | HM C M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | MC/ UA | | MC/ HA | | | |
| | | | | | | | | | | | | 63 G 33.97 HA GF: 1 - 2H 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant inferior ondulat EXPOZITIE: SE INC: 25 G ALTITUDINE: 310 - 440 M LITIERA: intrerupta-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. relativ-plurien COMP.ACTUALA: 9 SC 1 DT COMP.TEL: 9SC 1 DT SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | |
| SC | 7 | LT | 50 | 30 | 17 | 3 | | .4 | NEC | N | 0.56 | 81 | 2752 | 3.6 | | | | |
| SC | 2 | P | 10 | 8 | 7 | 3 | G | | NEC | N | 0.16 | 5 | 170 | 1.6 | | | | |
| DT | 1 | IN | 50 | 32 | 17 | 3 | G | | RN | N | 0.08 | 16 | 544 | 0.6 | | | | |
| TOTAL | | | | 50 | | | 3 | | | | 0.8 | 102 | 3466 | 5.8 | | | | |
| DESCRIEREA STATIUNII SI ARBORETULUI | | | | | | | | | | | | | | DENS | V O L U M | | | CRES |
| ELM ARB | P R P | M R E P | VAR R E G E | DM S T A N I | HM C M | C L P | A M E S T E C | EL A G A J | PROVE N I E N T A | VI T A L I | CONS | MC/ HA | MC/ UA | | MC/ HA | | | |
| | | | | | | | | | | | | 63 H 3.09 HA GF: 1 - 2H 3I SUP: M TS: 5132 TP: 5131 SOL: 2209 Versant ondulat EXPOZITIE: SE INC: 15 G ALTITUDINE: 430 - 450 M LITIERA: intrerupta-subtire TIP FLORA: Festuca heterophylla Artificial de prod. mij. echien COMP.ACTUALA: 8 SC 1 GO 1 PAM COMP.TEL: 8SC 1 GO 1 PAM SORT: GOL Mijlociu si gros,cherestea VARSTA EXPL.: FA Gros si mijl.,cherestea SEM.UUTIL: SUBARBORET: DATE COMPL.: Alunecare mijlocie Alte date complement. POL: comp.sulf+metale ERZ: LUCRARI EXEC.: | | | | | | |
| SC | 8 | LT | 5 | | 1 | 3 | | | NEC | N | 0.64 | 1 | 3 | 4.5 | | | | |
| GO | 1 | P | 5 | | | 3 | G | | NEC | N | 0.08 | | | 0.1 | | | | |
| PAM | 1 | P | 5 | | | 3 | G | | NEC | N | 0.08 | | | 0.1 | | | | |
| TOTAL | | | | 5 | | | 3 | | | | 0.8 | 1 | 3 | 4.7 | | | | |